



NO	DESCRIPTION
1	PULSATION DAMPNER PN: 107.233.00
2	PULSATION, DAMPNER-MFG:LSP-PN:107.233.00
3	24 months liquidity damage 2% per month for PO 13-002-2022
4	24 months liquidity damage 2% per month for PO 14-006-2022
5	PULSATION, DAMPNER-MFG:LSP-PN:107.233.00
6	GENERAL ELECTRICAL SUPPLY - CONDENSER COIL FOR CARRIER LH - Bronz Glow Husky Gold Coating
7	GENERAL ELECTRICAL SUPPLY - CONDENSER COIL FOR CARRIER RH - Bronz Glow Husky Gold Coating
8	GAS SPRING, GAS, TYPE: CT, MODEL: 1000, STROKE: 63 MM, DIA: 28 MM, WP: 160 BAR (2320 PSI), FOR NORDIC PRELOAD VALVE ACTUATOR, PPL VESSEL MANAGEMENT SYSTEM - MFG: AZOL - P/N# CT 1000 063
9	COMPLETE SERVICE EQUIPMENT MR FOR AZOL GAS CYLINDERS MFG:- AZOL P/N# Complete Service
10	EQUIPMENT SERVICE HOSE SYSTEM P/N : EC37 HOSE SYSTEM TO CHARGE AZOL GAS SPRING USED FOR NORDIC PRELOAD VALVE ACTUATORS MFG:- AZOL P/N# EC37
11	CARTRIDGE KIT, GAS SPRING (PN: CT 1000 063), GAS, FOR NORDIC PRELOAD VALVE ACTUATOR, PPL VESSEL MANAGEMENT SYSTEM - MFG: AZOL - P/N# C-0ARB020
12	SEAL KIT, GAS SPRING (PN: CT 1000 063),GAS, FOR NORDIC PRELOAD VALVE ACTUATOR, PPL VESSEL MANAGEMENT SYSTEM - MFG: AZOL - P/N# S-0ARB020
13	TONG DIE, 1/2 X 1 1/4 X 5 LONG - MFG: CANR - P/N# R021000010
14	CAPSCREW, HEX SOCKET HEAD, 5/8" - 11 UNC X 2-1/2", WIRED - MFG: LPO - P/N# 5/8" - 11 UNC X 2-1/2"
15	CAPSCREW, HEX SOCKET HEAD, 5/8"-11 UNC X 3" - MFG: CANR - P/N# SH-0625NC-0300
16	O-RING, - MFG: CANR - P/N# S01-1347-01N



NO	DESCRIPTION
17	VALVE, HYD DIR 3POS 4WAY 24V D03 - MFG: CANR P/N#H10053 ALTERNATE PART NUMBER - MFG: REXROTH - P/N: R900979840 - OR- 4WE 6 D6X/EG24N9DL
18	VALVE, HYDRAULIC, CBAL, 4.5:1 RATIO, CARTRIDGE - MFG: SUN HYDRAULICS - P/N# CBCGLCN
19	30" CASING BUSHING F/ NATIONAL ROTARY TABLE REF# 11763 API 7K 2 PCS/SET
20	20" CASING BUSHING F/ NATIONAL ROTARY TABLE REF# 10187 API 7K 2 PCS/SET
21	MULTI-BLADE MANUAL BALANCING DAMPER REGULATING THE FLOW OF AIR IN AN HVAC SYSTEM, BLADE TYPE: 3V, (43.5 W X 43.5 H X 6 D) SIZE WITH INCH, FOR MUD PIT1, MFG: GREENHECK, P/N: MBD-15
22	SUS304 High Pressure Stainless Steel Corrugated Hose For Gas Supply_ 100 MTR
23	1295221 Cross Only
24	Solenoid Valves 3-Way Normally Closed, 1/2" NPT for exhaust Flap in engine room P/N- 73312BN4UNMJNOC111P3
25	COIL, SOLENOID VALVE EVI 7/9 24VDC 6.5W WITH CONNECTION TOP - MFG: AMISCO - PN: 0709EDE2404ZN
26	PISTON, SEPERATOR 1:1 RANGE 0-10000 PSI MFG:- MTOT P/N# P10038A-02
27	BEACON, PENUMATIC ,MFG: BETTER OIL TOOLS LTD - P/N# 2007SBY2BM020
28	KIT, SILENCER ELEMENT MPX - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608620090
29	KIT, SERVICE HYGROMETER - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608203580
30	ACTIVATED ALUM, PARKER(SULLAIR) MXS106DDS AIR DRYER - MFG: SULLAIR - P/N# 608203661



NO	DESCRIPTION
31	MS DESICCANT, PARKER(SULLAIR) MXS106DDS AIR DRYER - MFG: SULLAIR - P/N# 608203662
32	KIT, SEAL COLUMN - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608620098
33	DESICCANT, SNOW STORM FILLER - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608201051
34	KIT, VALVE OVERHAUL ABOVE 9 BAR - MFG: DOMNICK HUNTER FILTER LTD - P/N# 60-862- 0092
35	ELEMENT, FILTER - MFG: DOMNICK HUNTER FILTER LTD - P/N# 504500000
36	UNIT: COIL, FAN 11KW, HYDRONIC CASSETTE MFG: Carrier P/N# 42GWC010
37	UNIT, COIL, FAN 4.7KW, HYDRONIC CASSETTE MFG: Carrier P/N# 42GWC005
38	SWITCH, MODULE, WITH TERMINALS, NORMALLY OPEN MFG: BARTEC Pte Ltd P/N# 07-3321- 1200
39	ENCLOSURE, WALL MOUNT; 14 GAUGE; 10"H X 10"W X 6"D, NEMA 13; GRAY COLOR; OPTIONAL PANEL; A10P10 - MFG: HOF - P/N# A-10106SC
40	BREAKER, CIRCUIT COMPACT NSX100H -70 KA - 415 VAC - TMD TRIP UNIT 80 A -3 POLES 3D - MFG: SCHN - P/N# LV429671
41	5/8" COPPER REFRIGERATION TUBING MFG: Petrotechnical P/N# 3P673
42	TUBING, COPPER, 7/8 INCH DIA. OD X 50 FT LENGTH, FOR A/C AND REFRIGERATION, INSIDE DIA. 0.785 IN, - MFG: GWW - P/N# 4P866
43	TUBING, COPPER, 1/2 INCH DIA. OD X 50FT LENGTH, FOR A/C AND REFRIGERATION, INSIDE DIA. 0.436 IN, - MFG: MUELLER - P/N# 656R
44	TUBING, COPPER, SIZE 1/4" -3/8" OD X 10 FT - MFG: GRAINGER - P/N# 2LKJ2
45	5/8" COPPER REFRIGERATION TUBING MFG: Petrotechnical P/N# 3P673
46	TUBING, COPPER, 7/8 INCH DIA. OD X 50 FT LENGTH, FOR A/C AND REFRIGERATION, INSIDE DIA. 0.785 IN, - MFG: GWW - P/N# 4P866



NO	DESCRIPTION
47	TUBING, COPPER, 1/2 INCH DIA. OD X 50FT LENGTH, FOR A/C AND REFRIGERATION, INSIDE DIA. 0.436 IN, - MFG: MUELLER - P/N# 656R
48	TUBING, COPPER, SIZE 1/4" -3/8" OD X 10 FT - MFG: GRAINGER - P/N# 2LKJ2
49	AXIAL EXHAUST FAN COMPLETE HOUSING WITH FAN MOTOR. MFG: QINGDAO VENTILATION FACTORY CO – P/N# CZF-55A
50	PUMP, HYDRAULIC - MFG: PARKER INDUSTRIES INC - P/N# P200H-2R1D C10 00M2
51	RETAINER, VAC SEAL - MFG: ACME CLEANING - P/N # 1830-0167
52	NOZZLE, PRESSURE WASHER ROTATING ST-558 TURBO FOR PRESSURE WASHER-MFG: SUTTNER GMBH-PN:200558560
53	SAMPLE BOTTLE, 750ML OIL/FUEL 70/PAC - MFG: KITI - P/N# FG-K3-211-KW
54	KIT, OIL SAMPLE BOTTLE WITH BELLOWS TOP AND 48 IN TUBE WITH MAILERS IN CASE OF 25 - P/N # B25P3-25-MFG: ANI.
55	SENSOR, REPLACEMENT KIT BAIL ANGLE ,ESTIMATED PACKING, 1 BOX 10"X8"X6", 2KG - MFG: RIG SMART-P/N# 5002-0086
56	ANTENNA, MARINE TYPE -MFG:CRANE SMART SYSTEM-P/N 900-1607
57	PACKING FEE
58	FILTER, 1PH. 230V, MFG:MAXIWASH, P/N# 516012
59	BELT,WASHING MACHINE TYPE: IA240, MFG, IPSO,P/N: SP555498
60	SEAL, RADIAL, 65X100/114X9/12MM, VITON/FKM - MFG: ALLIANCE LAU - P/N# SP537848
61	RING, SEALING, 65 X 100 X 10 - MFG: ALLIANCE LAU - P/N# 525813
62	BELT, BEARING, 520 J, SIDE FOR MODEL # MWCS4 - MFG: JASON - P/N# PR1608000048
63	Handling fees
64	GRAPHITED, PACKING TO SIUT 25MM DIA SHAF - MFG: DMMC P/N#3GB00B4C



NO	DESCRIPTION
65	TRANSMITTER, PRESSURE EXPLOSION SHOCK - MFG: DSGPMF P/N#YPQ01Z/25B
66	TRANSMITTER, PRESSURE EXPLOSION SHOCK - MFG: MOPC P/N#YPQ01Z/40B
67	VALVE, AIR RELEASE PVC 1 " - MFG : PLASTICOMATIC - P/N# ARV100EPS-PV
68	SOCKET, RELAY, TUBE BASE, 8 PIN - MFG : AB - P/N # 700HN100
69	TEMPERATURE, CONTROLLER 3 DIGIT SERIES, SIZE: 48x48X65 MM , --MFG: GIC - P/N: TCS2T
70	LED, B4L4P 12W 12V 24V 110V 220V HIGH POWER BEACON EMERGENCY SAFETY WARNING LIGHT , COLOR: VIOLET-- MFG: ELECTRONIC - P/N: B4L4P-9-80VDC
71	SENSOR, TEMPERATURE PT100 -30 DEG C TO + - MFG: RS COMPONENTS LTD - P/N# 813-884
72	DISPLAY, LCD OPERATING STATUS, FOR PW9355-40-NT-M-MBS-MFG: EATON-P/N# 1021647
73	Packing and inland fee
74	MOTOR TYPE AB35 180L 4 - 3PH 60 HZ 480V AC 20KW, MFG: CEMP, P/N# P4A0045682
75	MOTOR TYPE AB35 180M 4 - 3PH 60 HZ 480V AC 16.7KW 1770 RPM, MFG: CEMP, P/N# P4A0045681
76	MOTOR, ELECTRIC, 86KW, 3500 RPM, 480V/3P/60HZ, D280S-2, IP55, MFG: TECO - P/N # AEEVUK020100
77	STUDDER BLOCK - 3 WAY CROSS , 2-1/16" x 10000 PSI (BX-152), API 6A 21st edition, 1 x Studded 4-1/16" x 10000 psi (BX-155) , Sour, NACE MR-0175 3rd edition, WP 10K , TP 15k
78	SWIVEL SPOOL (1ft) 2-1/16" x 10000 PS (BX-152)Sour, NACE MR-0175 3rd edition, WP 10K , TP 15k,API monogram marked on body , Ring groove Alloy 625, C/W COC Package
79	BLIND FLANGE FLUID CUSHION TYPE 2-1/16" x 10000 PS (BX-152)Sour, NACE MR-0175 3rd edition, WP 10K , TP 15k,API monogram marked on body , Ring groove Alloy 625, C/W COC Package



NO	DESCRIPTION
80	SWIVEL SPOOL (1ft) 4-1/16" x 10000 PSI FLANGE END (BX-155), 1200 MM LG. Sour, NACE MR- 0175 3rd edition, WP 10K , TP 15k , EE , PSL-3 , P - X (-29 °C to 180 °C) , API monogram marked on body , Ring groove Alloy 625, C/W COC Package
81	Alumina, Activated, 2-5mm, 185Kg/Drum -DES-AA-2-00
82	O-RING, 1/2IN SAE 4-BOLT FLANGE, CODE 61 AND 62 FLANGE - MFG: PARKER - P/N # 2-210
83	O-RING, 0.139 IN X 0.984 IN 12 CODE 61 F - MFG: PARKER-HANNIFIN CORP - P/N# 2-214 NBR
84	O RING, 0.139 IN X 1.296 IN 16 CODE 61 F - MFG: PARKER-HANNIFIN CORP - P/N# 2-219 NBR
85	O RING, 0.139 IN X 1.484 IN 20 CODE 61 F - MFG: PARKER-HANNIFIN CORP - P/N# 2-222 NBR
86	O RING, 0.139 IN X 1.859 IN 24 CODE 61 F - MFG: PARKER-HANNIFIN CORP - P/N# 2-225 NBR
87	O RING, 0.139 IN X 2.234 IN 32 CODE 61 F - MFG: PARKER-HANNIFIN CORP - P/N# 2-228 NBR
88	O-RING, FLANGE CODE 61/62 2-1/2 IN NBR - MFG: PARKER INDUSTRIES INC - P/N# 2-232-NBR
89	O-RING, 3IN SAE 4-BOLT FLANGE, CODE 61 AND 62 FLANGE - MFG: PARKER - P/N # 2-237
90	NEEDLE VALVE, FT257/2-14, Actual PN: FT257/2-1/4
91	PRESSURE GAUGE, 0-400BAR, 4", Actual PN: Z-1020323
92	RELIEF VALVE, RV5-10-S-0-35, Actual PN: 566246
93	SHUTTLE VALVE, DSV3-8-B-A2, Actual PN: 565968
94	PRESSURE FILTER, FMP320-2BAG1A25NP01/V8, Actual PN: PRESSURE FILTER, FMP320-2BAG1A25NP01/V8, Actual PN: FMP3202BAG1A25NV8
95	RELIEF VALVE, CPF1S-08-G-W-20, Actual PN: 02-310256
96	OIL LEVEL GAUGE, RLG-LP-11, Actual PN: Z-1020144
97	FILTER BREATHER, TA80FL10BM00C80, Actual PN: TA80B10B001P0E
98	RETURN FILTER, MPF750-1AG1A25HBV1, Actual PN: MPF7501AG1A25HBV1
99	SUCTION STRAINER, STR140-6S-G1-M90, Actual PN: STR1406SG1M90
100	Element, Pressure Filter, HP320-2A25-AN
101	ELEMENT RETURN FILTER, MF750-1A25HB



NO	DESCRIPTION
102	BEARING, - MFG: SKF - P/N# 6306-2RS
103	BEARING, BALL - MFG: SKF - P/N# 63052RS1
104	GASKET, SEALING, FOR COOLING WATER PUMP - MFG: DESMI INC. - P/N# 516012
105	SEAL, LIP, V-RING, FOR COOLING WATER PUM - MFG: DESMI INC. - P/N# 704031
106	SEAL, SHAFT MECHANICAL - MFG: DESMI INC. - P/N# 712094
107	LIFT ASSIST CHOKE VALVE SLING -RAAH SAFETY PRODUCT# RSS-C100, 2" CHOKE VALVE STROP - MFG: RAAHSAFETY, PN# RSS-C100
108	CAPACITOR 1500 MICRO FARAD, V 450VDC, MAX SURGE 525 VDC, MFG: MALLORY USA, P/NCGS1524T450X4C
109	SWITCH, PRESSURE - MFG: BARKSDALE GMBH - P/N# B2X-A32SS-EX
110	TRANSDUCER , PRESSURE 0-10MPA ,OUTPUT: 4-20MA , CONNECTION : M20 x 1.5, MFG: TEDRI ,TYPE: BL-Y202 P/N: 19051 050 810 040
111	INSERT, BRASS F/ 1-1/2' DEAD LINE ANCHOR - MFG: BOMCO - P/N# JZ500A1.8
112	SIMATIC DP, CONNECTION PLUG FOR PROFIBUS UP TO 12 MBIT/S 90° CABLE OUTLET, 15.8X 64X 35.6 MM (WXHXD), TERMINATING RESISTOR WITH ISOLATING FUNCTION, WITHOUT PG SOCKET, MFG: SIEMENS, P/N# 6ES7972-0BA12-0XA0
113	RUBBER PLATE OF PULSATION DAMPENER - MFG: LSPE - P/N# 107.130.02
114	PRV VALVE , MODEL: A48Y-16C DN150 , SET PRESSURE 1.6MPA (232 PSI), BODY: WCB , MFG: Various (China), P/N: A48Y-16C DN150
115	KIT, PRESSURE SEAL, PACKING WASH PIPE4 - MFG: NOV - P/N# 30123440-PK
116	PERCOLATOR (OIL FILTER) , MFG. LANZHOU, PN. SLLF-50X120
117	GEAR PUMP 4 KW 60HZ , 460V VERTICAL GEAR OIL PUMP ,MFG: LANZHOU , PN. LBZ-100
118	BEACON, XENON 10 JOULE 24VDC RED WITH LE - MFG: MEDC LTD - P/N# XB13024RYNR



NO	DESCRIPTION
119	LAMP BOX LED RED, 24VDC, KIMDEN LAMPBOX LED - MFG: ALCO AUTOMATION PTE. LTD. - P/N# KD-UA-27HD8A
120	PRESSURE SWITCH, TYPE: KPS 39, MFG: DANFOSS, P/N: 060-3107
121	SOLENOID VALVES 3-WAY NORMALLY CLOSED, 1/2" NPT FOR EXHAUST FLAP IN ENGINE ROOM -MFG:- PARKER P/N# 73312BN4UNMJN0C111P3
122	DRAIN WATER PUMP (CENTRIFUGAL PUMP MP-30700) MELWOOD 40GKX0W0002 ; 6.5W, 230VAC, 50/60HZ),HRONIC CASSETTE FAN COOLING UUNIT MODEL: 42GWC010 - MFG: CARRIER - P/N# 40GKX0W0002
123	FAN MOTOR UNIT, 220V,1PH, 60HZ, 238/72W, 1.12A, 820R/MIN, 6P CLASS MANUFACTURER - CARRIER - MFG: SCHNEIDER - P/N# 40GKX0F80841
124	FAN CAPACITOR 3UF ±3% , HYDRONIC CASSET FAN COOLING UNIT MODEL 42GWC005 HYDRONIC CASSETTE FAN COOLING UNIT(ELECTRICAL WORKSHOP - MFG: CARRIER - P/N# CBB60A
125	FLOAT SWITCH , CARRIER FCU 42GWC010 - MFG: CARRIER - P/N# 0352503H08
126	PCB, FOR FCU UNIT CARRIER MODEL:42GWC010- AP001A V1.1 .- MFG: ROHS - P/N# B033322K12
127	HANDLE, BUTTERFLY VALVE FOR 4" - 6" SIZE - MFG: WECO - P/N# 3231336
128	Packing & inland fee
129	KIT, FILTER ELEMENT - MFG: GARDNER-DENVER COMPANY - P/N# 312EBQ6013
130	MOTOR, ELECTRIC - 2HP,460 VOLTS,1755 RPM, 3PH, 60HZ, FRAME:145TC, SHAFT DIAMETER 0.875 IN, EXPLOSION PROOF, MFG: BALDOR RELIANCE - P/N: CEM7037T
131	VODEC VAP01 PUBLIC ADDRESS ACCESS UNIT
132	VALVE, PRESSURE SUSTAINING , MFG : SINGER , MFG P/N 106-RPS-DN200
133	KIT, VALVE OVERHAUL BELOW 9 BAR - MFG: DOMNICK HUNTER FILTER LTD - P/N# 60-862- 0091
134	KIT, SERVICE HYGROMETER - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608203580
135	KIT, SEAL, BASIC, NITRILE MATERIAL, - MFG: HAGGLUNDS U.K. LTD. - P/N# 3781729803
136	Fluid End Cross / PN#1295221



NO	DESCRIPTION
137	RAW WATER / PRELOAD ANODE Cu, Serial no. C1350-500, (ANODE, CUPROLINE)
138	RAW WATER / PRELOAD ANODE Al, serial no.A135-500 (ANODE, ALOLINE)
139	SAFETY ANTI-SLIP MAT ZP-275 CUSTOMIZED AS PER DRAWING
140	SAFETY BARRIER, SIWAREX - MFG: SIEMENS - P/N# 7MH47105BA
141	GALVANIC ISOLATOR POWER --MFG: DANFOSS - P/N# KFD2-SD-EX1-17/ 72040
142	FREQUENCY CONV. 400V 5.5KW --MFG: DANFOSS - P/N# VLT2855 ST, R0/195N108500
143	DETECTOR, AIRFLOW - MFG: RESISTEL S.A. - P/N# DBSL-1E
144	Packing AND inland fee
145	CONTACTOR 24 V MFG:- SCHNEIDER ELECTRIC AUTOMATION IN P/N# LC1D80
146	CONTACTOR F/ MAIN FREEZER # LC1 D18 OR A0 13250 - P/N # LC1-D18 - MFG: SCHN
147	INTERFACE UNIT; PLC-RSC-24DC/21 24VDC,SIEMENS DOC.NO:51PO-04160-A-003,PROJECT:PPL-2050 JACK-UP-RIG, SIEMENS VIRIABLE FREQUENCY DRIVE (VFD) - MFG: SIEMENS - P/N# 2966171
148	RELAY, THERMISTOR, PTC, 24V + 230VAC - MFG: TELEMECANIQUE - P/N# LT35A00MW
149	KIT, SEAL AIR DRIVE - MFG : HHSS - P/N # 16772
150	OVER LOAD , GV2ME16 / 9 TO 14 AMP.- - P/N #GV2ME16-MFG: SCHN
151	TRANSFORMER, 1 PHASE 110VAC, PRIMARY - MFG: SEKO - P/N# NTS500VA
152	DIGITAL INPUT CARD MFG:- SIEMENS- P/N# 6ES7 321-1BH01-0AA0
153	DIGITAL OUTPUT CARD MFG:- SIEMENS- P/N# 6ES7 322-1HH00-0AA0
154	PUSH, POLE STICK -MFG: LHR - P/N# SHT2-72
155	STICK, STIFFY PUSH PULL - SAFETY HAND TOOL SIZE:42 INCH MFG: FIBR P/N# SHT2-42
156	STICK, STIFFY PUSH PULL - SAFETY HAND TOOL SIZE:21 INCH, RUBBER INSERT- MFG: FIBR - P/N# PST1R-21
157	PIPE WIPER, DRILL RUBBER 1.2MTR - MFG: OSHS - P/N# PWPR1200
158	DRILL PIPE CONNECTION GUIDE 2-3/8" DRILLING HAND TOOLS, WEIGHT 1.1KG - MFG: OFFSHORE HANDLING SYSTEM - P/N# DPCG-18016
159	ROPE, TAGLINE, 35 FT ANTI-TANGLE, YELLOWMFG: OFFSHORE HANDLING SYSTEMS LTDP/N# OHSTL-35



NO	DESCRIPTION
160	ROPE, TAGLINE, 45FT ANTI-TANGLE, YELLOWMFG: OFFSHORE HANDLING SYSTEMS LTDP/N# OHSTL-45
161	HIGH PRESSUR HOSE FOR FORKLIFT MODEL RX 20-20 - MFG: STILL - P/N# 0531487
162	HIGH PRESSUR HOSE FOR FORKLIFT MODEL RX 20-20 - MFG: STILL - P/N# 0531486
163	PUSHBUTTON, START/STOP PUSH WITH PILOT LIGHT - MFG: CEAG - P/N#GHG4118300R0001
164	Marine Offshored Cable, RFOU, propose 3C x 1.5mm2 black Qty : 100 Mtr
165	Marine Offshored Cable, RFOU, propose 4C x 1.5mm2 black
166	Discharge Strainer, For NOV 14P-220 Mud Pump
167	FAN D2D160-BE02-11 (COOLING FAN FOR DRIVE UNIT), MFG: ABB, P/N# 64650424
168	FAN FAN D2E146-AP47-C3 (COOLING FAN FOR SUPPLY UNIT), MFG: ABB, P/N# 68973708
169	FAN D2D160-BE02-11 (COOLING FAN FOR DRIVE UNIT), MFG: ABB, P/N# 64650424
170	FAN FAN D2E146-AP47-C3 (COOLING FAN FOR SUPPLY UNIT), MFG: ABB, P/N# 68973708
171	ONE-WAY OIL INJECTING VALVE - MFG: LSPE - P/N# KG-61 BG-61
172	SEALLSPE107.29.110.18 - MFG: LSPE - PART# 107.29.110.18
173	COUPLING, 18MM RUBBER GASKETS AND BOLTS - MFG: BRIGHT WAY - P/N# BW8614
174	COUPLING, 13MM RUBBER GASKETS AND BOLTS - MFG: BRIGHT WAY - P/N# BW4313
175	BAFFLE, DISK-MFG:LSPE-PN:107.29.01.03
176	SWITCH-PRESSURE,IFMELECTRONIC,PK6520 - MFG: BOSCH REXROTH AG - P/N# PK6520
177	TRANSDUCER,PRESSURE REXROTH,HM12-1X/400,F/HP-1384 - MFG: BSRH - P/N# HM1218400
178	VALVE, PRESSURE SUSTAINING , MFG : SINGER , MFG P/N 106-RPS-DN200
179	COMPRESSOR, 460 VOLT, 3 PHASE, 43LRA, MFG:- COPELAND SCROLL , P/N# ZP42K5E-TFD-622
180	UNION, 37DEG JIC FEMALE TO 37DEG JIC FEMALE - MFG: PARKER- P/N # 6HX6-S



NO	DESCRIPTION
181	UNION, 37DEG JIC FEMALE TO 37DEG JIC FEMALE - MFG: PARKER- P/N # 4HX6-S
182	TUBE, LED Emergency T8 Tube, 4FT-18W, with Integrated Battery Backup (5000K) - MFG: E2 LIGHTING - P/N # E2-T8-4FT-18W-EBBU
183	FIXTURE, LED FLOOD LIGHT LHFL - 188W - 120V - 277V - 50/60 HZ - MFG: AZZ - P/N# LHFL20LUT76
184	KIT, SILENCER ELEMENT MPX - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608620090
185	KIT, SERVICE HYGROMETER - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608203580
186	ACTIVATED ALUM, PARKER(SULLAIR) MXS106DDS AIR DRYER - MFG: SULLAIR - P/N# 608203661
187	MS DESICCANT, PARKER(SULLAIR) MXS106DDS AIR DRYER - MFG: SULLAIR - P/N# 608203
188	KIT, SEAL COLUMN - MFG: DOMNICK HUNTER FILTER LTD - P/N# 608620098
189	FILTER ELEMENT, PARKER(SULLAIR) MXS106DDS AIR DRYER - MFG: SULLAIR - P/N# 055AA
190	KIT, VALVE OVERHAUL BELOW 9 BAR - MFG: DOMNICK HUNTER FILTER LTD - P/N# 60-862- 0091
191	Blower Spare // Capex Code SA-R40-23008//Quotation#14199-Q-BOT
192	MOTOR, HYDRAULIC - MFG: BOMCO P/N#BM5025
193	SET, INSERT REDUCING FOR SLIP 4"PIPE F/4-1/2" - MFG: VAR - P/N# 2164-54
194	HANDLE, REAR F/ MANUAL SLIP ASSY - MFG: AOT - P/N# 14-103
195	Inland freight & warehouse entrance fee
196	SPACER - MFG: KME - P/N# KQ-16
197	BRUSH KQ-34 - MFG: KME P/N#KQ34
198	BRUSH KQ-32 - MFG: KME - P/N# KQ32
199	PIN, BRAKE PAD, MFG. BEIJING PSK , PN. KQ-11
200	RING, SNAP KQ-56 - MFG: KME P/N#KQ56
201	PIN,CYLINDER - MFG: KME - P/N# KQ-08
202	PIN, EMERGENCY SUPPORT , MFG. BEIJING PSK , PN. KQ-12
203	BUSH - MFG: KME - P/N# KG-31
204	BRUSH KB-38 - MFG: KME P/N#KB38
205	BRUSH KB-37 - MFG: KME P/N#KB37
206	BRUSH KB-35 - MFG: KME P/N#KB35



NO	DESCRIPTION
207	BRUSH KB-36 - MFG: KME P/N#KB36
208	BRUSH, - MFG: KME - P/N# KQ-33
209	WASHER - MFG: KME - P/N# KQ-52
210	HOLLOW, ADAPTER - MFG: KME - P/N# KQ-54
211	BODY, ARTICULTURAL BODY - MFG: KME - P/N# KQ-59
212	BOLT FOR ARTICULTURAL BODY - MFG: KME P/N# KQ-58
213	CALIPER LEVER - MFG: KME - P/N# KB-18
214	RING, SNAP - MFG: KME - P/N# KQ55
215	CYLINDER, MAIN SERVICE ASSEMBLY-MFG:KME-PN:KG-00
216	PLATE ASSEMBLY BREAKE PAD-MFG:KME-PN:KQ-15
217	PIN, EMERGENCY SUPPORT , MFG. BEIJING PSK , PN. BQ-13
218	CYLINDER, PIN -MFG:KME-PN:BQ-09
219	PIN,CYLINDER - MFG: KME - P/N# KQ-08
220	PIN, CALIPER PIVOT , MFG: KME, PN: KQ-10
221	PIN, BRAKE PAD, MFG. BEIJING PSK , PN. KQ-11
222	ASSY, PLATE BRAKE PAD BQ-15 - MFG: KME P/N#BQ15
223	SEAL, MECHANICAL HSCP.32.03B - MFG: TSC P/N#HSCP.32.03B
224	IMPELLER-MFG:TSC-PN:HSCP.32.02
225	STUFFING, BOX-MFG:TSC-PN:HSCP.32.03
226	SHAFT-MFG:TSC-PN:HSCP.32.07
227	ASSEMBLY, GLAND HSCP.32.03A - MFG: TSC P/N#HSCP.32.03A
228	PACKING, 7X7 JB/T 7370-1994 - MFG: TSC - P/N# JB/T 73701994
229	SLEEVE-MFG:TSC-P/N:10-TSC
230	COUPLING , MFG: LSPE - P/N# 107.29E.21.00
231	BEARING ,MFG: LSPE - P/N# 3G3628F
232	ROD, PUSH - MFG: INGERSOLL RAND - PN: 11767
233	BOLT, IMPELLER LOCK FOR MIXING PUMP - MFG: NOV - P/N# 7415648 - OR- MFG: TSC - P/N# TS-7415648
234	WASHER, IMPELLER FOR MIXING PUMP - MFG: MIS - P/N# 7300239
235	VGA OVER IP EXTENDER Model KU300 (1 SENDER/1 RECIEVER)
236	USB to PS2 Adapter Model VAS-C03-S
237	GAUGE, PRESSURE 0-10000 PSI GLYCERINE FI - MFG: ASHCROFT COMPANY - P/N# 100- 1008SL-02L/0-10000#
238	HANDLE-WRENCH,HUWE,710- 0030,36 IN,F/ HUWE WRENCH HEAD MFG: HUWE P/N# 7100030



NO	DESCRIPTION
239	HEAD-WRENCH,HUWE,710-0021,2 IN,F/ FIG 1502 HAMMER UNION MFG: HUWE P/N# 7100021
240	HEAD-WRENCH,HUWE,710-0024,3 IN,F/ FIG 1502 HAMMER UNION MFG: HUWE P/N# 710002
241	HEAD-WRENCH,HUWE,710-0025,4 IN,F/ FIG 602/1002 HAMMER UNION, MFG: HUWE,PN-7100025
242	HEAD-WRENCH,HUWE,710-0028,6 IN,F/ FIG 100/200/206 HAMMER UNION, MFG: HUWE,PN-7100028
243	HEAD-WRENCH,HUWE,710-0050,5 IN,F/ FIG 1502 HAMMER UNION MFG: HUWE P/N# 7100050
244	TAGLINE, TANGLE-RESISTANT COATED, 5/8IN X 15FT LENGTH, W/ SNAPHOOK, HI-VIS VINYL, ORANGE - MFG: LHR SERVICES - P/N# LHR TLD115
245	TAG-LINE, LHR, Length (ft) 25 Color Coded_MFG. LHR SERVICES _ P/NO. LHR TLD125
246	TAG-LINE, LHR, Length (ft) 35 Color Coded_MFG. LHR SERVICES _ P/NO. LHR TLD 135
247	WIPER, PIPE 1500 MM (1.5 MTR) 70 SHORE A BLACK NIT - MFG: OSHS - P/N # PWPR1500
248	eka BA327E?SS Intrinsically safe rugged panel mounting, 5 digit, 4/20mA loop powered digital indicator, with 11mm high LCD display with bargraph, housed in 105x60mm 316?SS enclosure, IP66 front. ATEX and IECEx gas and dust certified
249	NOZZEL, DRILL FLOOR, MODEL N4W, 1/2" NPT MALE, BRASS, BRASS TYPE LRS APPROVED MFG:- WILHELMSSEN P/N# G56030
250	COUPLING ENCODER ALUMINIUM METRIC BORE DIAMETER 11MM, GS 14 MAKE: ROTEX – MFG: KTR ROTEX, ANAHEIM AUTOMATION,, P/N# KTR-BA550147151150
251	SPIDER BLUE FOR COUPLING GS 14, MAKE: ROTEX– MFG: KTR ROTEX, ANAHEIM AUTOMATION, P/N# KTR-550141000003
252	VALVE, GATE 2-1/2 IN 150 LB CS GATE OSY - MFG: W & O SUPPLY, INC. - P/N# 012102.450
253	HANDLE, RESET - MFG: RR VALVE, INC. - P/N# 430803
254	RESET CRANK - MFG: RR VALVE, INC. - P/N# 140803
255	KEEPER, SPRING - MFG: RRV - P/N# 170803



NO	DESCRIPTION
256	SPRING, CLOCK FOR RESET RELIEF VALVE CX X 8000 II - MFG: RR VALVE, INC. - P/N# 400803
257	PIN, ROLL - 1/8" X 3/4", FOR RESET RELIEF VALVE CX X 8000 II - MFG: RR VALVE, INC. - P/N# 240803
258	O-RING, OR-337 BODY BONNET INTERFACE - MFG: RRV P/N#OR337
259	SEAL, STEM BUSHING, FOR RESET RELIEF VALVE CX X 8000 II (OLD P/N 10A0808-II) - MFG: RR VALVE, INC. - P/N# S250
260	BUSHING, STEM, WASHER SERIES II - MFG: RRV P/N#10B0803
261	GAUGE, PRESSURE, GLYCERIN FILLED, FOR RESET RELIEF VALVE - MFG: RRV - P/N# 900803
262	SEAL, OUTER PISTON, FOR RESET RELIEF VALVE CX X 8000II - MFG: RR VALVE, INC. - P/N# M11639
263	PISTON, W/ EXHAUST PORT 480803 - MFG: RRV P/N#480803
264	LINK, UPPER - MFG: RR VALVE, INC. - P/N# 190803
265	SEAL, INNER - MFG: RRV P/N#M13549
266	PIN, LOWER LINK, FOR RESET RELIEF VALVE CX X 8000 II - MFG: RR VALVE, INC. - P/N# 210803
267	LINK, LOWER - MFG: RR VALVE, INC. - P/N# 180803
268	PISTON, INNER FOR RELIEF VALVE 7500PSI - MFG: RRV P/N#530803
269	PISTON, INTERNAL - MFG: RRV P/N#53A0803
270	PISTON, INTERNAL - MFG: RRV P/N#53B0803
271	O-RING - MFG: RRV P/N#OR042
272	SUB - MFG: RRV P/N#50803
273	SEAL, LOWER, RETAINER & SUB OR-242 - MFG: RRV P/N#OR242
274	SEAL, RETAINER - MFG: RRV P/N#30803
275	SEAL, LOWER PEAK - MFG: RRV P/N#P2530
276	T-BAR - MFG: RRV P/N#831103
277	RESET LEVER SPRING,-MFG: RR VALVE, P/N# 380803.
278	RESET RELIEF VALVE W/3" 1502 HAMMER UNIONS AND PRESSURE GAUGE, SERIES II, 7,500 PSI, MFG: BETTER OIL TOOLS LTD , P/N# X8000-II
279	FAN UNIT, ROLLER MODEL: S6D 350 S, 460VAC, 60HZ, 19A, DES MARINE COLD ROOM CONDENSING UNIT - MFG: ROLLER - P/N# 56001030



NO	DESCRIPTION
280	ROLLER FAN 460/265V 3Ph, 60Hz, 0.14/0.24A, 92W, 1420RPM - MFG : ROLLER - P/N: 5600226
281	FAN UNIT, ROLLER MODEL: S4D 400S, 460V, 60HZ, DES MARINE COLD ROOM CONDENSING UNIT - MFG: ROLLER - P/N# 56001046
282	HEATER RODS FOR COIL 460W COIL - ST 1020 U050 - MFG:ROLLER - P/N:0400002
283	HEATER RODS TRAY 540 W TRAY - ST 2110 WS060 MFG:ROLLER- PN:0400033
284	HEATER RODS FOR COIL - ST 1270 U100 (A590W) - MFG : ROLLER - P/N: 0400005
285	HEATER ROD, ROLLER MODEL: ST 2510 ES 060, DRAIN PAN, 650W, FOR HVST 705 EC, DES MARINE COLD ROOM CONDENSING UNIT - MFG: ROLLER - P/N# 400034
286	VALVE, EXPANSION THERMOSTATIC TES2 R4040A - MFG: DFS - P/N# 068Z3403
287	COIL, SOLENOID 230VAC 50/60HZ BB230CS - MFG: DANFOSS INC - P/N# 018F7363
288	CORE FILTER HOUSING, MFG : DANFOSS - P/N :DANFOSS DCR048
289	CORE, FILTER-MFG:DANFOSS - PN:48DM0231392
290	WEIGHING MODULE, SIWAREX U (OLD P/N 7MH4601-1BA01) - MFG: SIEMENS - P/N# 7MH4950-2AA01
291	MONITOR, TOUCHSCREEN 10.4 IN STN COLOR 6 - MFG: SIEMENS ENERGY & AUTOMATION INC - P/N# 6AV6545-0CC10-0AX0
292	MODULE, REPEATER - MFG: SIEMENS - P/N# 6ES7-972-0AA01-0XA0
293	IM151-1 ET200S 6ES7-151-1AA06-0AB0--MFG: DANFOSS - P/N# 195N1049/6ES7-151-1AA06-0AB0
294	MODULE, PM-E 24V DC W/DIAGNO ET200S - MFG: SIEMENS - P/N# 6ES71384CA01
295	ET200S, EL-MOD., 2AI HF U, +/-10V, 1.5V, SIMATIC DP - MFG: SIEMENS - P/N# 6ES7-134-4LB00-0AB0
296	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S - MFG: SIEMENS - P/N# 6ES7135-4GB01-0AB0



NO	DESCRIPTION
297	MMC MICRO MEMORY CARD 512, 6ES7 953-8LJ11-OAA0 --MFG: SIEMENS - P/N# 6ES7 953-8LJ11-OAA0/ 6ES7 953-8LJ31-OAA0
298	Mixer assembly,equivalent, made in China Same installation size with attached drawing - P/No. SL-150
299	Nozzle, equivalent, made in China - Note: 1. The spec refers to attachment.
300	VALVE FLOAT, DRILL PIPE MODEL (G) FLAPPER TYPE SIZE 5F-6R - MFG: BAKER - P/N# 480155462
301	KIT, REPAIR RUBBER FOR FLOAT VALVE MODEL (G & GA) SIZE 4R - MFG: BAKERP/ N# 16014000
302	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 5F-6R - MFG: BAKER - P/N# 480135462
303	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 4R - MFG: BAKER - P/N# 480134200
304	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 2F - 3R -MFG: BAKER - P/N# 480132432
305	BAFFLE PLATE, RING TYPE 7-5/8 API REG DPFV SIZE 5F-6R - MFG: BAKER - P/N# WVT791706 - OR - MFG: MD - P/N# 191706
306	BAFFLE PLATE, RING TYPE 4-1/2 API REG DPFV SIZE 4R - MFG: BAKER - P/N# WVT791703 - OR - P/N# MFG: MD - P/N# 191703
307	BAFFLE PLATE, RING TYPE NC46, 4 IF DPFV SIZE 4F - MFG: BAKER - P/N# WVT791744 -ORMFG: MD - P/N# 191744
308	MHCL203 Liftmate .co.uk Cylinder lifter two-man (vertical lift) clamp. (Welders Bottles)
309	MHCL230 Liftmate .co.uk Cylinder lifter two-man (vertical lift) clamp. (Koomey Bottles)
310	MHCL203 Liftmate .co.uk Cylinder lifter two-man (vertical lift) clamp. (Welders Bottles)
311	MHCL230 Liftmate .co.uk Cylinder lifter two-man (vertical lift) clamp. (Koomey Bottles)
312	INTERFACE, CONTROL PICTURE , HM4H MFG: NJXHX P/N# KHM
313	CABLE, INTEGRATED RVVP(SYV75-3+9X0.2X0.5) - MFG: NJXHX - P/N# D-001-50



NO	DESCRIPTION
314	CABLE, INTEGRATED RVVP(SYV75-3+9X0.2X0.5 - MFG: NJXHX - P/N# D-001-60
315	PLUG, PIN 15 TO CONTROLLER Y50DX1415TJ - MFG: NJXHX - P/N# C-T-1415
316	SOCKETS, 15 PIN TO CAMERA Y50DX1415ZK - MFG: NJXHX - P/N# C-Z-1415
317	DIE, TONG, 1/2" X 1 1/4" X 5 7/8" F/ TYPE B, DB - MFG: MISSION - P/N# 162111710
318	INSERT, SET SLIP 3-1/2 X 2-7/8 IN - MFG : VAR - P/N # 2161-30
319	INSERT, REDUCING FOR SLIP 4"PIPE F/4-1/2" - MFG: VAR - P/N#2164 & MFG: NOV - P/N# 2164
320	INSERTS, DP SLIPS, SDML, 5-1/2" X 5" - MFG: NOV - P/N# 2169
321	SLIPS, 4 1/2" X 4", MODEL SDML ROTARY, W/ INSERTS - MFG: NOV - P/N# 15564
322	CURRENT TRANSFORMER 750:1, MAX WINDOW 3.25 INCH X 1.25 INCH, 2 AMP - MFG:ROSS HILL - P.N: 300A156
323	Finger Saver Standard 375mm - OHSFS375
324	Finger Saver Long 850mm OHSFS850
325	Packing & inland fee
326	Finger Saver Standard 375mm - OHSFS375
327	Finger Saver Long 850mm OHSFS850
328	Packing & inland fee
329	SCREW, CONVEYOR HELICOID 16" PITCH X 3" COUPLING DIA-MFG: MARTIN-PN:16H614-R
330	RECTIFIER BRIDGE 600 VOLTS MAX -MFG: WESTINGHOUSE-P/N: 2018A40G03
331	TONG, CHAIN, 48" CHAIN, TITAN - MFG: GRH - P/N# C1348P
332	TONGS, CHAIN DOUBLE END MODELNO.3231 - MFG: RID P/N#92670
333	RELAY, VOLTAGE MONITOR, OVERVOLTAGE/ UNDERVOLTAGE 3 PH, 120VAC, MFG: MACROMATIC - P/N# PMP120
334	SEALING RING - MFG: BRIGHT WAY - P/N# 145*8.6
335	BREAKER, 75KW, 200A - MFG: BOMCO - P/N# NS250H+MA220



NO	DESCRIPTION
336	COUPLER, QUICK 1"-MFG:LSPE-PN:TD102-NPT 1"
337	SEALING RING - MFG: BRIGHT WAY - P/N# 145*8.6
338	SEAL, LINER USED FOR 5-1/2INCH TO 7 INCH LINERS.FOR EMESCO FB-1300 TRIPLEX MUD PUM - MFG: MIS - P/N# 7916800
339	SEALING RING - MFG: BRIGHT WAY - P/N# 145*8.6
340	SEALLSPE107.29.110.18 - MFG: LSPE - PART# 107.29.110.18
341	SEALLSPE107.29.110.17 - MFG: LSPE - PART# 107.29.110
342	LINER, 5 1/2" FOR EMSCO FB-1300 - MFG: TSCM P/N#TS214554HP
343	KIT, REPAIR WET 1 IN A/P/TSS - MFG: WILDEN PUMP AND ENGINEERING CO - P/N# 02-9815- 55-201
344	KIT, REPAIR WET 1.5 IN C/M/BNS - MFG: WILDEN PUMP AND ENGINEERING CO - P/N# 04- 9804-52
345	MAIN CALIPER ASSEMBLYy , MFG .LSPE, PN. KQ-00
346	IMPELLER FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400-02
347	SHAFT SLEEVE FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400-03
348	MACHINERY SEAL FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400
349	OIL SEAL FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400-06
350	BEARING FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400-07
351	SHAFT COUPLING FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400-09
352	O RING, FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400-11
353	SHAFT FOR FIRE PUMP , MFG. SICHUAN SANTAI , PN..JM-125-100-400-13
354	COUPLING, 13MM RUBBER GASKETS AND BOLTS - MFG: BRIGHT WAY - P/N# BW4313
355	SEAL, MECHANICAL HSCP.32.03B - MFG: TSC P/N#HSCP.32.03B
356	SLEEVE-MFG:TSC-P/N:10-TSC
357	O-RING 90X5.3 OIL-ROOF RUBBER 1-4 - MFG: ZD&P - P/N# GB/T3452.1-1992-90X5.3



NO	DESCRIPTION
358	O-RING 33.5X3.55 - MFG: ZD&P - P/N# GB3452.1-92-33.5×3.55
359	O-RING 28×3.55 - MFG: ZD&P - P/N# GB3452.1-92-28×3.55
360	O-RING 23.6×3.55 - MFG: ZD&P - P/N# GB3452.1-92-23.6×3.55
361	O-RING 42.5×3.55 ,MFG: ZD&P - P/N : GB3452.1-92-42.5×3.55
362	RING, V TYPE SEAL - MFG: ZD&P P/N#Z0386HG433770X95
363	GASKET - MFG: MZD&P P/N#JC40D0102.01.24
364	SEAL, OIL 100 X 130 X 12 - MFG: ZD&P - P/N# HG4-692-77-100X130X12
365	O-RING 5.3 74 + 3 - MFG: MZD&P P/N#GB3452.192745.3
366	O-RING 38.7×3.55 - MFG: ZD&P - P/N# GB3452.3-88-38.7×3.55
367	O-RING 180×5.7 - MFG: ZD&P - P/N# JB/ZQ4224-86-180×5.7
368	O-RING 230×5.7 - MFG: ZD&P - P/N# JB/ZQ4224-86-230×5.7
369	DISC, OIL - MFG: ZD&P - P/N# AF7003030400-6-10
370	OIL DISC- MFG: ZD&P - P/N#AF7003030400-6-11
371	DISC, OIL - MFG: ZD&P - P/N# AF7003030400-8-10
372	DISC, OIL - MFG: ZD&P - P/N# AF7003030400-8-11
373	EXPLOSION PROOF WIRELESS BRIDGE WITH 10 MTR CABLE WITH PLUG , TYPE YTAP-A1, RATED VOLTAGE : DC 12V RATED CURRENT < 500Ma , PROTECTION GRADE : IP65 (IP66) MFG : NANYANG YITONG EXPLOSION PROOF ELECTRIC COMPANY PN: YTAP-A1
374	HIGH PRESSURE NOZZLE - MFG: LSPE - P/N# 3400 0491
375	MANUAL MULTI-FOLD VALVE MFG BAOJI CITY P/N : DL40-d25L-4T-4C-4C
376	BRAKE VALVE GROUB-MFG:BAOJI CITY-PN:FY50-10.07.00
377	VALVE, BALANCE GROUP-MFG:BAOJI CITY-PN:FY60-09.03.00B
378	VALVE, BALANCE-MFG:BAOJI CITY-PN:FD12FA12/B30
379	PLATE-TYPE OVER FLOW VALVE-MFG:BAOJI CITY-PN:DBDS6P10/315



NO	DESCRIPTION
380	VALVE, OVER FLOW -MFG:BAOJI CITY-PN:FY50-W0300
381	VALVE, ONE-WAY-MFG. BAOJI CITY-PN:FY50-W0400
382	ZY-160 CYCLOID MOTOR-MFG:BAOJI CITY-PN:112-1034
383	PUMP, CENTRIFUGAL VERTICAL INLINE BRONZE - MFG: DESMI INC. - P/N# NSL80-215/A02-N
384	PLATE ASSEMBLY BREAK PAD-MFG:KME-PN:KQ-15
385	PIN, CALIPER PIVOT , MFG: KME, PN: KQ-10
386	PIN, BRAKE PAD FOR WORKING CALIPER 11 F/ JC70DB DRAWWORKS ,MFG.Beijing , P/N-BQ- 11
387	PIN, CALIPER PIVOT , MFG. BEIJING PSK , PN. BQ-10
388	CYLINDER, PIN -MFG:KME-PN:BQ-09
389	Telescopic Hook
390	Casing Pipe Handling Tool – 6ft
391	Dual Release Snare Tool 36"
392	Hammerless Tong Die Driver 1"
393	Hammerless Tong Die Driver 1.5"
394	6 Angle Tong Die Driver 1"
395	Angle Tong Die Driver 1.5"
396	Drill Pipe Connection Guide 4"
397	Drill Pipe Connection Guide 5.5"
398	FINGER SAVER 375mm
399	FINGER SAVER 850mm
400	LIFTING STARPS - SINGLE HANDLE
401	LIFTING STARPS - DOUBLE HANDLE
402	LIFT ASSIST CHOKE VALVE SLING (2?)
403	TAGLINE (Orange Tag) - 15 ft
404	TAGLINE (Green Tag) - 25 ft
405	TAGLINE (Purple Tag) - 35 ft
406	DRILL PIPE CONNECTION GUIDE 5-1/2" DRILLING HAND TOOLS - MFG: OFFSHORE HANDLING SYSTEM - P/N# DPCG18010
407	GUIDE,OFFSHORE HANDLING SYSTEMS,DPCG18013,DRILL PIPE CONNECTION,5IN MFG:OFFSHOREHANDLING SYSTEMS P/N# DPCG18013
408	DRIVER,KEystone ENERGY TOOLS,A26-350KET,ANGLE TONG DIE,1-1/4 MFG: KEYSTONE ENERGY P/N# A26350KET



NO	DESCRIPTION
409	DRIVER,KEYSTONE ENERGY TOOLS,A26-360KET,ANGLE,TONGDIE,1 IN MFG: KEYSTONE ENERGY P/N# A26360KET
410	HOOK, BOAT TELESCOPIC,3,3, SECTION,3.5 TO 8FT - MFG: GARELICK - P/N# 5517002
411	DRIVER, TONG DIE HAMMERLESS 1-1/4 IN - MFG: KEYSTONE ENERGY TOOLS, LLC - P/N# A26-425
412	DRIVER, TONG DIE HAMMERLESS 1 IN - MFG: KEYSTONE ENERGY TOOLS, LLC - P/N# A26-426
413	KET ANGLED TONG DIE DRIVER, MFG: KEYSTONE ENERGY TOOLS , P/N: A26-360
414	RADIO CHEST HARNESS , CHEST PACK SHOULDER RADIO HOLSTER WITH AN ADJUSTABLE SINGLE RADIO POUCH FOR MOTOROLA HANDHELD TWO-WAY RADIO AND WALKIE TALKIES ,MFG: HOLSTERGUY, P/N: RCH-101B
415	STIFFY SNARE TOOL, 60" DUAL RELEASE, ALUM, MFG: FIBERTEX, PN# SSTDR-60
416	MECHANICAL SEAL ASSEMBLY, FOR CIRCULATION PUMP, MODEL: EVML 32 2-2, COOLING WATER SKID, SIEMENS BRAKING REGISTER - MFG: EVARA - P/N# 120706-002-P1/P2-MECH
417	Schneider Electric Pressure Sensor - XMAV06L2135 - PRESSOSTAT XMA 6 BAR ECAR -87psi - 600kpa , pressostat - 6bar - ecart reglable 2 seuils - 1OF / XMAV06L2135 , EAN : 3389110249217
418	HOOK, BOAT TELESCOPIC,3,3, SECTION,3.5 TO 8FT - MFG: GARELICK - P/N# 5517002
419	ENCLOSED HANDLE,1800 MM LENGTH - MFG: OFFSHORE HANDLING SYSTEMS - P/N: GCHT1800
420	ENCLOSED HANDLE,1500 MM LENGTH - MFG: OFFSHORE HANDLING SYSTEMS - P/N: GCHT1500
421	SNARE TOOL, RAAH SAFETY STIFFY PRODUCT # SSTDR-36, 36"ALUMINUM DUEL RELEASE SNARE TOOL - MFG: RAAHSAFETY, PN# SSTDR-36
422	DRIVER, TONG DIE, 1 1/4" W/ ANGLE HANDLE - MFG: KEYSTONE ENERGY TOOLS - P/N# A26-350
423	DRIVER, TONG DIE, 1" W/ ANGLE HANDLE, TYPE B, - MFG: RAMEY MARTIN - MFG: ACCESS OIL TOOLS - P/N# 26-360
424	FINGER SAVER, STANDARD 350MM - MFG: OSHS - P/N# OHSFS350



NO	DESCRIPTION
425	FINGER SAVER, STANDARD 850MM - WEIGHT:650G LONG - MFG: FINGERSAVER - P/N# 850MM
426	LIFT ASSIST SINGLE HANDLE - RAAH SAFETY PRODUCT# RSS-S100, MANUAL HANDLING AID - MFG: RAAHSAFETY, PN# RSS-S100
427	LIFT ASSIST DOUBLE HANDLE - RAAH SAFETY PRODUCT# RSS-D100, MANUAL HANDLING AID - MFG: RAAHSAFETY, PN# RSS-D100
428	LIFT ASSIST CHOKE VALVE SLING -RAAH SAFETY PRODUCT# RSS-C100, 2" CHOKE VALVE STROP - MFG: RAAHSAFETY, PN# RSS-C100
429	ENCLOSED HANDLE, 1800 MM LENGTH, FOR DRILL PIPE CASING - MFG: OFFSHORE HANDLING SYSTEMS - P/N: DPCT1800
430	ENCLOSED HANDLE,1800 MM LENGTH, FOR DRILL PIPE HANDLING - MFG: OFFSHORE HANDLING SYSTEMS - P/N# DPHT1800
431	TAGLINE, TANGLE-RESISTANT COATED, 5/8IN X 15FT LENGTH, W/ SNAPHOOK, HI-VIS VINYL, ORANGE - MFG: LHR SERVICES - P/N# LHR TLD115
432	TAGLINES, TANGLE-RESISTANT COATED, GREEN TAIL 25FT WITH SNAPHOOK, MFG: LHR, P/N: TLD125
433	TAGLINES, TANGLE-RESISTANT COATED, PURPLE TAIL 35FT WITH SNAPHOOK, MFG: LHR, P/N: TLD135
434	STATION, HANDS FREE TOOL STORAGE - MFG: OSHS - P/N# HFTWS001
435	DRILL PIPE CONNECTION GUIDE 4.1/2" DRILLING HAND TOOLS, WEIGHT 1KG - MFG: OFFSHORE HANDLING SYSTEM - P/N# DPCG-18012
436	GUIDE, TOOL DRILL PIPE CONNECTION - MFG: OFFSHORE HANDLING SYSTEMS -P/N# LTDDPCG-18010
437	BEARING, SA204 METRIC BEARING ISERT WITH LOCKING COLLAR 20MM BORE 47MM OUTSIDE DIA. - MFG: EU BUDGET-PN:SA204
438	RUBBER, SEATING RING FOR 47MM SPHERICAL OUTER DIAMETER BEARING - MFG: SKF - P/N: RIS204
439	Propane Hoses Transfer _ SIZE: 5-MM ID _LENGTH: 50 MTR /ROLL _ END CONNECTIONS : FREE _ EAN NO. 7314528530905 _ EN/ISO: EN 559 / ISO 3821 _ https://www.sievert.se/products/propane-hoses/hoses-for-soldering/



NO	DESCRIPTION
440	1" Toyo Fig 5026 brass ball valve,600 psi. Blowout-proof stem,2-piece screwed brass body,full bore,lever handle,screwed ends to BSPT
441	1" Toyo Fig 206A Bronze gate valve,class 125, non-rising stem,screw over bonnet,solid wedge disc,screwed ends
442	3" API (88.9mm), Victaulic ductile iron style 75 flexible coupling, c/w nitrile gasket plated bolt & nuts.
443	5" API (141.3mm), Victaulic ductile iron style 75 flexible coupling, c/w nitrile gasket plated bolt & nuts.
444	1" Toyo Fig 5026 brass ball valve,600 psi. Blowout-proof stem,2-piece screwed brass body,full bore,lever handle,screwed ends to BSPT
445	1" Toyo Fig 206A Bronze gate valve,class 125, non-rising stem,screw over bonnet,solid wedge disc,screwed ends
446	3" API (88.9mm), Victaulic ductile iron style 75 flexible coupling, c/w nitrile gasket plated bolt & nuts.
447	5" API (141.3mm), Victaulic ductile iron style 75 flexible coupling, c/w nitrile gasket plated bolt & nuts.
448	SLEEVE, COUPLING SUREFLEX SHAFT - MFG:FAL/ TB WOODS MECHANICAL - P/N# 9J
449	NITCHI FOUR WAY PUSH BUTTON SWITCH WITH EMERGENCY STOP SWITCH250A, MFG: BETTER - P/N# COB805
450	PENDANT CONTROL CABLE WITH WIRE ROPE 6 CORE x 1.25MM, MFG: BETTER - P/N# C-564
451	COMBINATION LUBRICATION ADAPTER WITH GIANT BUTTON HEAD (CHEMOLA DELTA VFB SERIES) - 1" , MFG: CHEMOLA , PN: VFBK-09
452	COMBINATION LUBRICATION ADAPTER WITH GIANT BUTTON HEAD (CHEMOLA DELTA VFB SERIES) - 7/8" , MFG: CHEMOLA , PN: VFBJ-09
453	COMBINATION LUBRICATION ADAPTER WITH GIANT BUTTON HEAD (CHEMOLA DELTA VFB SERIES) - 3/4" , MFG: CHEMOLA , PN: VFBH-09
454	ORIFIBUS, FC STD CABLE MFG: GK P/N# 6XV18300EH10
455	LOAD LIMITER JDLS-70 ,110V ,50/60 HZ - MFG: BETTER OIL TOOLS - P/N# JDLS-70
456	COUPLER, BODY WITH MALE NPT 1/4 INCH, MFG: DK-LOK, P/N# DQVPB-M-4N-L



NO	DESCRIPTION
457	BODY WITH HOSE CAP, MFG: DK-LOK, PN# DQVPB-PC-3U-L
458	STEM WITH HOSE CAP, MFG: DK-LOK, P/N# DQPS-PC-3U-L
459	WARREN RUPP SANDPIPER AIR OPERATED DIAPHRAGM PUMP - S30B1ABBABS000
460	WARREN RUPP SANDPIPER AIR OPERATED DIAPHRAGM PUMP - S30B1ABBABS000
461	PART NO. 476.227.000, AIR END KIT
462	PART NO. 476.171.360, WETTED END KIT
463	Mud Balance, OFIT, 4 Scale metal with case MFG: OFITE
464	Mud Balance, OFIT, 4 Scale metal with case MFG: OFITE
465	COUPLING, VICTAULIC 5 IN STYLE 77 BLACK - MFG : VCT - P/N # 1810618620
466	GASKET FOR 5" VICTAULIC COUPLING STYLE 77, GRADE:T, NITRILE, BULK TANK/BULK MANIFOLD - MFG: VICTAULIC - P/N# 5"STYLE 77
467	MODULE, TEN-INPUT MONITOR - MFG: NOTIFIER - P/N # XP10-M
468	SUPPLY, POWER 8 AMPS FCPS-24S8E - MFG: NOTIFIER - P/N# PSE-10E
469	MODULE , BACK BOX - MFG: NOTIFIER - P/N: SMB500
470	RELAY, CONTROL- MFG: NOTIFIER - P/N:XPR-6
471	MODULE, RELEASING CONTROL - MFG: NOTIFIER - P/N # FCM-1-REL
472	MODULE, SIX CIRCUIT SUPERVISED CONTROL AND SYNC-1 ASSY CARD - MFG: NOTIFIER - P/N # XP6-C
473	MODULE, 6 RELAY XP- MFG: NOTIFIER - P/N# XP6-R
474	MODULE, TEN-INPUT MONITOR - MFG: NOTIFIER - P/N # XP10-M
475	MODULE, RELEASING CONTROL - MFG: NOTIFIER - P/N # FCM-1-REL
476	OPLUG15022X2LTS (Low Torq PLug Valve, 2"x2" 1502, MxF, sour service) - P/N OPLUG15022X2LTS
477	OCROSS15-2.0FFFM (Cross, 1502, 2", female x female x female x male- sour service) - P/N OCROSS15-2.0FFFM
478	1502T-2.0MBS (2" 1502 Male blind, sour service) - P/N 1502T-2.0MBS
479	1502T-2.0WNS (2" 1502 wing nut, sour service) - P/N 1502T-2.0WNS
480	OPLUG15022X2LTS (Low Torq PLug Valve, 2"x2" 1502, MxF, sour service) - P/N OPLUG15022X2LTS
481	OCROSS15-2.0FFFM (Cross, 1502, 2", female x female x female x male- sour service) - P/N OCROSS15- 2.0FFFM



NO	DESCRIPTION
482	1502T-2.0MBS (2" 1502 Male blind, sour service) - P/N 1502T-2.0MBS
483	1502T-2.0WNS (2" 1502 wing nut, sour service) - P/N 1502T-2.0WNS
484	COUPLING, 13MM RUBBER GASKETS AND BOLTS - MFG: BRIGHT WAY - P/N# BW4313
485	PRESSURE SWITCH F/BOP CONTROL, MFG-GUANGZHOU DONGSU, PN-HED40P15/350Z14
486	VALVE, CHANGE MANUAL - MFG: ZD&P - P/N# 4WMM16G50/F
487	CENTRIFUGAL PUMP, MODEL TSB 3X2X13, C/W EXPROOF MOTOR, 11KW, POWER SUPPLY 460V/60HZ, SPEED, 1740RP
488	FLOORING, RUBBER COIN GRIP, 1/4IN, 4 FT X 10 FT -MFG:LOP -PN: 4FTX10FTX1/4IN
489	COMPRESSOR, SCROLL 380/420/460V 50/60HZ - MFG: EMERSON CLIMATE TECHNOLOGIES - P/N: ZR144KCE-TFD-950
490	HANDLE FORM OF CLAMP BUTTERFLY VALVE. 6" BRIGHT WAYBWDF-6 - MFG: BRIGHT WAY - P/N# BWDF-6
491	Packing & inland fee
492	SPACER - MFG: KME - P/N# KQ-16
493	BRUSH KQ-34 - MFG: KME P/N#KQ34
494	BRUSH KQ-32 - MFG: KME - P/N# KQ32
495	BOLT OF BRAKE BLOCK - MFG: LSPE - P/N# KQ-50 BQ-50
496	PIN, BRAKE PAD, MFG. BEIJING PSK , PN. KQ-11
497	RING, SNAP KQ-56 - MFG: KME P/N#KQ56
498	PIN,CYLINDER - MFG: KME - P/N# KQ-08
499	PIN, EMERGENCY SUPPORT , MFG. BEIJING PSK , PN. KQ-12
500	BUSH - MFG: KME - P/N# KG-31
501	BRUSH KB-38 - MFG: KME P/N#KB38
502	BRUSH KB-37 - MFG: KME P/N#KB37
503	BRUSH KB-35 - MFG: KME P/N#KB35
504	BRUSH KB-36 - MFG: KME P/N#KB36
505	BRUSH, - MFG: KME - P/N# KQ-33
506	WASHER - MFG: KME - P/N# KQ-52
507	HOLLOW, ADAPTER - MFG: KME - P/N# KQ-54
508	BODY, ARTICULURAL BODY - MFG: KME - P/N# KQ-59



NO	DESCRIPTION
509	BOLT FOR ARTICULTURAL BODY - MFG: KME P/N# KQ-58
510	CALIPER LEVER - MFG: KME - P/N# KB-18
511	RING, SNAP - MFG: KME - P/N# KQ55
512	SULLAIR COMPRESSOR, MODEL LS16-100HHAC , 600V/60HZ,CAPACITY 10.5M3/MIN, PRESSURE 1.0MPA THE SPEC REFERS TO ATTACHMENT, PN - LS16-100HHAC - AS PER ATTACHED QUOTATION # 15308/Q/BOT
513	To cover The ocean freight charge For Complete VFD A/Condition / Ref Po
514	Complete air condition for VFD Model: CAC-450Z 460V-60HZ - 3PH - Refrigrant : 134A - NINGBO HICON INDUSTRY COMPANY
515	Packing & inland fee & Fumigation
516	BAR, PINCH POINT, 51IN LONG - MFG: AMES TRUE TE - P/N# 1160100
517	HOLDER, DIFFUSER 6 IN ST15C - MFG: HAMWORTHY PLC - P/N# 6755101016
518	PUMP, PENUMATIC 0.8 MPA INPUT AIR SUPPLY PRESSURE: 116 PSI 48 MPA OUTPUT OIL PRESSURE: 6960 PSI- MFG: DUANGZHOU DONHSU - P/N# QYB4890
519	HIGH PRESSURE STOP VALVE 1/2?GYJZF-00-00 CODE DRAWING 1300032861 REFERENCE YG079.00 30M 3 OIL TANK MFG: HH - P/N# 1300032861
520	FILTER, REPLACEMENT 240 WITH SAP, ADDITIVE, GASKET - MFG: PURADYN FILTER - P/N# 02-42407TF
521	240-A/NP 6" x 6"
522	240-C/NP 8" x 5"
523	240-C/NP 5" x 5"
524	240-C/NP 2" x 5"
525	240-C/NP 10" x 5"
526	240-C/NP 3" x 5"
527	INSERT REF 2170
528	INSERT RETAINNING RINGF/ SD 5.1/2" 010106004
529	INSERT RETAINER SCREW & NUTF/ SD SLIP 5.1/2"6 PCS/SET 130701594
530	LATCH LOCK BOLT NUTF/ DDZ DP ELEVATOR 350TON 130701787
531	CIRCULAR BUTTONSREF 2630



NO	DESCRIPTION
532	INTERMEDIATE SEGMENT, F/ CMS-XL 010202002
533	INTERMEDIATE SEGMENT, F/ DCS-L 010303003
534	HINGE PIN, W/ COTTER, F/ DCS-L 010303004
535	LATCH PINF/ DDZ DP ELEVATOR 350TON 010903012
536	LATCH SPRINGF/ DDZ DP ELEVATOR 350TON 130302017
537	LATCH LOCK SPRINGF/ DDZ DP ELEVATOR 350TON 130302018
538	LATCH LOCK PINF/ DDZ DP ELEVATOR 350TON 010902019
539	LATCH LOCK BOLT NUTF/ DDZ DP ELEVATOR 350TON 130701787
540	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE (H2S) SIZE 2F-3R - MFG: BAKERP/ N# 480302432
541	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 2F - 3R -MFG: BAKER - P/N# 480132432
542	KIT, REPAIR RUBBER FOR FLOAT VALVE MODEL (F) SIZE 1R - MFG: BAKER - P/N# 16012200
543	INSERT, SLIP 3-1/2 IN X 3-1/2 IN 1 SET = 30 EA - MFG: VAR - P/N# 2162
544	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 2F - 3R -MFG: BAKER - P/N# 480132432
545	DRIVER, TONG DIE HAMMERLESS 1 IN - MFG: KEYSTONE ENERGY TOOLS, LLC - P/N# A26- 426
546	DRIVER, TONG DIE HAMMERLESS 1-1/4 IN - MFG: KEYSTONE ENERGY TOOLS, LLC - P/N# A26-425
547	DRIVER, TONG DIE, 1 1/4" W/ ANGLE HANDLE - MFG: KEYSTONE ENERGY TOOLS - P/N# A26-350
548	DRIVER, TONG DIE, 1" W/ ANGLE HANDLE, TYPE B, - MFG: RAMEY MARTIN - MFG: ACCESS OIL TOOLS - P/N# 26-360
549	PIN KNOCKER W/1.25" HEAD-MFG:KEYSTONE-PN:DPD1.250
550	PIN KNOCKER W/1.5" HEAD-MFG:KEYSTONE-PN:DPD1.500
551	SEPARATOR, 1:1, STD SERV, 17-4 - MFG: MD P/N# P10038A01
552	PAD, BRAKE - MFG: BAOJI HONGXIANG P/N# HH PS80
553	O-RING - MFG: DONGSU - P/N# NXQA163/31.5L10



NO	DESCRIPTION
554	VALVE, INFLATING - MFG: BOMCO - P/N# NXQA163/31.5L23
555	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 2F - 3R -MFG: BAKER - P/N# 480132432
556	Base oil Pump Model:GMS5TU3-B,For referance Old Pump S/N:1465802
557	3" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
558	4" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
559	5" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
560	HAND PALLET TRUCK – MHPT SERIES, CAPACITY 5000 KG, FORK LENGTH (MM)-1150/1220, WIDTH OVER FORKS (MM) 550/685, LIFTING HEIGHT (MM) 205, MIN. FORK HEIGHT (MM) 88, MAKE:WPL, ITEM NEED WITH CERTIFICATION - Must be comply with ASME B30.20
561	BATTERY, CHARGER 24V- 20 A. MODEL PT-24-20U - MFG: NEWMAR POWER - P/N# 445-5210-1
562	SENSOR, LEVEL ULTRASONIC VEGASON 62 IP6 - MFG: VEGA CONTROLS LTD. - P/N# SN62.CXAGHKMXX
563	SWITCH, TEMPERATURE 220/400V 3-10A SPDT - MFG: DANFOSS INC - P/N# 017-509766
564	LED LIGHT ZY-2079-200, Voltage 220-240 Input Frequency 50/60Hz, Body material-Aluminum Diffusor -Clear Glass, Reflector- White coated, IP Rating 65, Dimmable - Non-dimmable
565	6GK5206-2BB00-2AC2, SIEMENS
566	ODM800 Operator display module, connected to the OCM800 557.202.019
567	OCM800 Operator control module, connected to the MX Rbus 557.202.013
568	851PH Optical smoke/Heat detector (Marine Only) Built-in line isolator 516.850.055
569	4B-C Continuity Detector Base for 800 series of detectors. 4
570	SOLO Aerosol Smoke & CO Dispenser SOLO 330-001
571	SOLO Fibreglass 4 Section Telescopic Pole SOLO 100-001
572	SOLO Fibreglass Extension Pole Reach of 2.5 metres including height of man SOLO 101-001
573	Smoke detector test gas bottle Non flammable, 250ml, *DG*, UN1950 Cl.2.2 Solo A10S-001
574	Handling fee for dangerous goods HFDG
575	800RT Removal Tool 516.800.917
576	MCP830M Weatherproof version, Marine (IP66), built-in Isolat 514.800.610



NO	DESCRIPTION
577	MCP820M Marine manual call point, built-in Isolator, indoor excluding back box 514.800.609
578	801PHEX Optical smoke/Heat detector, intrinsically safe 516.800.530
579	COVER, STORAGE, FOR BILLY PUGH 4 PERSON TRANSFER DEVICE MODEL X-904-4 - MFG: BILLY PUGH C - P/N# 904P-31
580	CONVERTER, DC SIMOREG MODEL:6RA70 SERIES SIEMENS ELECTRICAL DRIVES
581	30MM DIAMETER X 3M LENGTH, 6X36 IWRC GALV'D STEEL WIRE ROPE, BOTH ENDS MECH SPLICED HARD EYES WITH CROSBY S505 SWAGE, WORKING LOAD LIMIT - 12MT, MIN BREAKING LOAD - 60MT & TEST LOAD APPLIED - 24 MT, C/W STAMP/TAG SERIAL NUMBER, SWL AND COC
582	FAN ,FOR DELUGE PUMP MOTOR 200HP-PLASTIC ID:2.953" (75MM)W/CLIPS & KEY OUTER: 16.75" MFG: WEGP/N#WEG4474FP
583	BULB CRUSHER CFL-1502 -CFL (220V) - CFLs & Straight Bulbs, all source power supply: 220v or 270v, 60Hz, MFG: WasteCare Corporation , PN: CFL-1502
584	LOAD CELL, 35KLBS 7/8IN-1-1/8IN W/ROPE - MFG: LOS - P/N# GC035-CSA
585	KIT, FILTER ELEMENT - MFG: GARDNER-DENVER COMPANY - P/N# 312EBQ6013
586	TONG LINE PULL INDICATION SYSTEM 0 TO 25,000 LBS. COMPLETE WITH 6" GAUGE, 25 FT HOSE ASSY AND 6.53 TENSION TONG CYLINDER. INCLUDES 1 QUART OF ALL WEATHER INSTRUMENT OIL FOR RECHARGE AND A CERTIFICATE OF CALIBRATION. - P/N CTT100-04
587	REPAIR KIT FOR A 6.53 TONG TORQUE CYLINDER - P/N CKT202
588	TONG LINE PULL INDICATION SYSTEM 0 TO 25,000 LBS. COMPLETE WITH 6" GAUGE, 25 FT HOSE ASSY AND 6.53 TENSION TONG CYLINDER. INCLUDES 1 QUART OF ALL WEATHER INSTRUMENT OIL FOR RECHARGE AND A CERTIFICATE OF CALIBRATION. - P/N CTT100-04
589	REPAIR KIT FOR A 6.53 TONG TORQUE CYLINDER - P/N CKT202



NO	DESCRIPTION
590	BODY, ELEMENT, FOR EXHAUST MUFFLER, - MFG: CLEMCO, - PN: 05065
591	Air Cycle Corporation Bulb Eater , Old PN/333-100-240 - Ref P/N : 210-1240
592	QUICK EXHAUST VALVE MFG:HUMPHREY P/N:SQE1
593	SEALS REPAIR KIT MFG:HUMPHREY P/N:SRKSQE
594	Misc handling fee
595	BOLTS, M8 X 25 GB/T70.1-2000 - MFG: TSC P/N#GB/T70.12000
596	O-RING,25X2.4 MFFG# GUANGZHOU P/N# GB1235-76-25-2.4
597	O-RING 16x2.4 - MFG: BOMCO - P/N# GB1235-76-16x2.4
598	O-RING MFG:-DONGSU P/N# GB 1235-76 32X3.1
599	SEAL RING VENT,MFG # GUANGZHOU, P/N# SDTYF-00-12
600	SEAL CONTAINER , MFG# GUANGZHOU, P/N# SDTYF -00-17.
601	BACK UP RINGS . MFG# GUANGZHOU. P/N# SDTYF-00-08.
602	SEAL RING SUPPLY, MFG # GUANGZHOU, P/N# SDTYF-00-16.
603	FLOW PLATE VENT ,MFG # GUANGZHOU. P/N# SDTYF -00-25.
604	O-RING GB1235-76 54MM X 3.54MM, MFG# GUANGZHOU, P/N# GB1235-76 5MM x 3.5MM
605	FLOW PLATE SUPPLY,MFG# GUANGZHOU, P/N# SDTYF-00-1
606	O-RING 11x1.9 - MFG: BOMCO - P/N# GB1235-76-11x1.9
607	O RING GB1235-76 ,40MM X 3.5MM . MFG# GUANGZHOU, P/N# GB1235-76 40MM x 3.5MM
608	CLAMP, 38MM - MFG: JIANGHAN - P/N# JZG42A-3
609	NUT, HEXAGONAL M24 MODEL 1 FOR DEAD LINE ANCHOR TYPE JZG34A - MFG: HH P/N# GB/T-6170-2000-JZG34A
610	SENSOR, - MFG: HUBEI - P/N# JZ500A.1.6
611	PRESS BLOCK - MFG: HUBEI - P/N# JZG41A.1.4
612	HEX HEAD BOLT M24 X200-8.8. - MFG: HUBEI - P/N# GB/T 5782-2000
613	CY SERIES PUMP AXIAL PISTON PUMP PRESSURE : 31.5MPA 1500 RPM
614	Packing & inland fee
615	REPAIR KIT FOR VALVE MODEL : Z23YA100-35-1003
616	FAN, AXIAL METAL HIGH TEMPERATURE RESIST - MFG: EBM-PAPST INC. - P/N# W2S130- AA03-71
617	FAN, COOLING UNIT MOTORIZED SINGLE INLET 230V 50-3HZ. - MFG: ZIEHL-ABEGG AG P/N# RH28M2EK.3F.1R



NO	DESCRIPTION
618	PUMP, OIL - MFG: CARRIER AIR CONDITIONING COMPANY - P/N# 30HX-410-332
619	Packing & inland fee
620	COUPLING BETWEEN ELECT. MOTOR AND HYD. PUMP OF MAIN HPU ,MFG. LSPE ,P/N: TDML ?75/?55
621	ANODE, ALOLINE, A135-500, FOR RAW WATER/PRELOAD - MFG: CORRPRO CO. INC. - P/N: A135-500
622	ANODE, CUPROLINE, C1350-500, FOR RAW WATER/PRELOAD - MFG: CORRPRO CO. INC. - P/N: C135-500
623	ANODE, ALOLINE, A135-500, FOR RAW WATER/PRELOAD - MFG: CORRPRO CO. INC. - P/N: A135-500
624	Siemens 6ES7153-4AA01-0XB0
625	22MM DIA X 550-MTR (8X26) IWRC PLASTIC IMPREGNATED RHOL GALVD STEEL WIRE ROPE WITH BOTH ENDS FUSED & TAPERED MBL: 467KN / 47.6 METRIC TON (MADE IN UK) C/W COPIED MILL CERT & COPIED DNV MILL CLASS CERT
626	BEARING - MFG: GLP P/N: 64047
627	PIPE WIPER, DRILL 19" X 4" DOUBLE NITRILE, DUAL, SPLIT AROUND - MFG: OTECO - P/N# 252192240
628	WIPER, SINGLE FLAT, 5 1/2 INCH X 19 INCH - MFG: OTECO EQUIPMENT COMPANY - P/N# 252192150 (251190155)
629	FRONT SEAL, 3016792, NOT ORIGINAL- P/N : 3016792
630	REAR SEAL (WET), 3005886NOT, ORIGINAL- P/N : 3005886
631	THERMOSTAT, 5540844, CUMMINS- PN : 5540844
632	GASKET,ROCKER COVER,KT (Pack 6), 4920076, NOT ORIGINAL- PN : 4920076
633	BELT, 5412987, NOT ORIGINAL, alternative PN: 206996
634	MOTOR,STARTING, 5593352, CUMMINS M
635	ALTERNATOR CUMMINS 4078701, 4078701, NOT ORIGINAL
636	Coil - 24V Twin Terminal, 3021420, NOT ORIGINAL
637	Packing & inland fee
638	NFC ON/FF VPI-E FOR ACTUATOR NHR30
639	3" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
640	4" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
641	5" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS



NO	DESCRIPTION
642	Casing 4X3X13
643	Casing 8X6X14
644	Casing 5X4X14
645	Gasket, Casing
646	Nut, Casing
647	Stud, Casing
648	Wear Pad, Includes stds, nuts, & gskt 4X3X13
649	Wear Pad, Includes stds, nuts, & gskt 5X4X14
650	Wear Pad, Includes stds, nuts, & gskt 8X6X14
651	Plug, Casing Drain
652	Impeller 8.5" - 4X3X13
653	Impeller 9" - 4X3X13
654	Impeller 9.5" - 4X3X13
655	Impeller 10" - 4X3X13
656	Impeller 10.75" - 4X3X13
657	Impeller 8X6X14 , 11.25"
658	Impeller 8X6X14, 11.5"
659	Impeller 8X6X14, 12.5"
660	Impeller 8X6X14, 14"
661	Impeller 5X4X14 - 14"
662	Seal, Impeller
663	Stuffing box, Mech. Seal
664	Bolt stuffing box
665	Gland Assy., Packing
666	Seal, Mechanical
667	Packing, Shaft
668	BOLT,GLAND
669	Shaft
670	Sleeve, Shaft (M.S. Pump)
671	Key, Shaft
672	Seal, Shaft Sleeve
673	Breather
674	Bolt, Casing Jack
675	Cover, Inboard Bearing
676	Cover, Inboard Bearing
677	Labyrinth Seal, IB Brg Cvr
678	Bolt, I.B. Brg. Cover
679	Bearing, Inboard
680	Seal, O.B. Brg Housing



NO	DESCRIPTION
681	Bolts, O.B. Brg. Housing
682	Nut, O.B. Brg. Housing Jam
683	Cover, O.B. Bearing
684	O-ring, O.B. Bearing Cover
685	Labyrinth Seal, O.B. Brg. Cvr
686	Bolt, O.B. Brg. Cover
687	Bearing, O.B. (2 Req'd)
688	Lockwasher, O.B. Bearing
689	Lucknut, O.B. Bearing
690	MALE DISCHARGE (HOSE THREAD) OUTLET FLANGE MFR: ELKHART PN: HM06D
691	DIRECT HANDLE MFR: ELKHART PN: D3F
692	APPARATUS VALVES MFR: ELKHART PN: EB25-9403B-HM06D-D3E
693	4 BOLT PUMP FLANGE (HALE) MFR: ELKHART PN: P403B
694	FILTER, MEDIA ROLL 180 FT. X 25" MERV: LESS THAN 5, MFG:GWW , PN# 2GJA9
695	HOSE, CHOKER, ID 1.5"-4", LENGTH 42" - MFG: ACNIW - P/N# CC3/8
696	KIT, DIE UPPER DIE KIT W/2 DIES, BOLTS, & SOCKETS - MFG: NOV - P/N# 30174222
697	KIT, DIE LOWER FOR VARCO ST80-H SPIN TORQ C/OTHE FOLLOWING ITEMS 2-EA 30160382 DIE LOWER DOVETAIL 5-EA 50108-14-C CAPSCREW SOCKET HEA D 2-EA 50708-10-0-C SCREW SET JACKING 1-EA 30172029-DWG DWG LOWER DIE KITMFG: VAR/RANGER - P/N# 30172029
698	HOLDER, DIE FOR VARCO ST80 - MFG: NOV - P/N# 30160383
699	COIL, ELECTRIC HEATER - MFG: POWERLINE LAUNDRY COMPANY - P/N# A0-E005-009
700	CONTACT, NC - MFG: GNAM - P/N# 66818
701	TOYO fan T796C Toyo T796C, 220/240Vac, 0.18/0.16A
702	4 1/2 REG. RING BAFFLE PLATE (4R) K-91703
703	5 9/16 API REG. RING BAFFLE PLATE (5R) K-91704
704	6 5/8 REG. RING BAFFLE PLATE (5F-6R) K-91705
705	7 5/8 REG. RING BAFFLE PLATE (5F-6R)
706	8 5/8 REG. RING BAFFLE PLATE (6F)
707	4 1/2 REG. RING BAFFLE PLATE (4R)



NO	DESCRIPTION
708	5 9/16 API REG. RING BAFFLE PLATE (5R)
709	6 5/8 REG. RING BAFFLE PLATE (5F-6R)
710	7 5/8 REG. RING BAFFLE PLATE (5F-6R)
711	8 5/8 REG. RING BAFFLE PLATE (6F)
712	4 1/2 REG. RING BAFFLE PLATE (4R) K-91703
713	5 9/16 API REG. RING BAFFLE PLATE (5R) K-91704
714	6 5/8 REG. RING BAFFLE PLATE (5F-6R) K-91705
715	7 5/8 REG. RING BAFFLE PLATE (5F-6R)
716	8 5/8 REG. RING BAFFLE PLATE (6F)
717	4 1/2 REG. RING BAFFLE PLATE (4R) K-91703
718	5 9/16 API REG. RING BAFFLE PLATE (5R) K-91704
719	6 5/8 REG. RING BAFFLE PLATE (5F-6R) K-91705
720	7 5/8 REG. RING BAFFLE PLATE (5F-6R)
721	8 5/8 REG. RING BAFFLE PLATE (6F)
722	MONITOR, HIGH TEMPERATURE-MFG:OMEGA-PN:CN101
723	PLATE-BAFFLE,BAKER,K-91703,4R,4-1/2 REG
724	PLATE-BAFFLE,BAKER,K-91704,5R,5-9/16 REG
725	PLATE-BAFFLE,BAKER,K-91705,5F-6R,6-5/8 REG
726	PLATE-BAFFLE,BAKER,K-91706,5F-6R,7-5/8 REG
727	PLATE-BAFFLE,BAKER,K-91707,6F,8-5/8 RE
728	MAJOR REPAIR KIT, BAKER 3IN SPD 7500 PSI - MFG: BAKER HUGHES - P/N# 51965631
729	4 1/2 REG. RING BAFFLE PLATE (4R)
730	5 9/16 API REG. RING BAFFLE PLATE (5R)
731	6 5/8 REG. RING BAFFLE PLATE (5F-6R)
732	7 5/8 REG. RING BAFFLE PLATE (5F-6R)
733	8 5/8 REG. RING BAFFLE PLATE (6F)
734	RING, CUSHION - MFG : RTS - P/N# 31860
735	PISTON, ASSEMBLY B/C HS RETSCO 30829HS - MFG: NOV - P/N# 440193
736	RETAINER INNER 3 IN TYPE C 1500-5000 PSI - MFG: RTS - P/N# 30826
737	RETAINER, OUTER 3 IN TYPE C 1500-5000 PS - MFG: RTS - P/N# 30827
738	SEAL, PISTON-OUTER FOR 3" TYPE C RESET RELIEF VALVE - MFG: RTS -P/N# 30833
739	SUB, FOR 3 IN TYPE C - MFG: RTS - P/N# 31861
740	PIN, LOWER LINK RESET RELIEF VALVE 3" TY - MFG: RTS - P/N# 23545A



NO	DESCRIPTION
741	SEAL, PISTON-INNER FOR 3" TYPE C, RESET RELIEF VALVE - MFG: RTS - P/N# 30831
742	O-RING, FLANGE (SOUR SERVICE) - MFG: RTS - P/N# 702640-23-71-HS
743	LIFTING RING, FOR ORIGINAL BIG BAG - MFG: SFLEX - P/N# 1000029887
744	BLOCK, HYDRAULIC, RACKING WINCH (25/25) - MFG: BRYNE WINCH - P/N # 4822901
745	PRESSURE SENSOR FOR FRESH WATER , PRESSOSTAT XMA 6 BAR ECAR -87PSI -600KPA REFERENCE SONEPAR 00002024921,EAN : 3389110249217 ,MFG,SCHNEIDER ELECTRIC, P/N: XMAV06L2135
746	expansion joints, 8" x 5", 240-C/NP
747	expansion joints, 10" x 5", 240-C/NP
748	JONT EXPANSION, 235 PSI WP 6" PIPE SIZE ID X 6" LONG, BOLT CIRCLE - 9.5"
749	JONT EXPANSION, 8" DIA X 5" LONG, BOLT CIRCLE - 11.75", FLANGE OD -
750	JONT EXPANSION 5" ID X 5" LONG, BOLT CIRCLE - 7.5", FLANGE OD - 9", 8
751	JONT EXPANSION 2" ID X 5" LONG, BOLT CIRCLE - 4.75", FLANGE OD - 6", 4
752	JONT EXPANSION 12 BOLTS (FOR MUD PUMP SUCTION LINE) 10" ID X 5" LONG STYLE # 240-C MFG : Proco
753	JONT EXPANSION 3" ID 5" LONG, BOLT CIRCLE - 6", FLANGE OD - 7.5", 4-MFG :Proco
754	PENDANT, ASSEMBLY FOR PULL BACK WINCH , MODELS CPA 1-13 / CPA 2-10 / CPA 5-5- MFG:YALE HOISTS- PN:00850121
755	PENDANT, ASSEMBLY FOR PULL BACK WINCH , MODELS CPA 1-13 / CPA 2-10 / CPA 5-5- MFG:YALE HOISTS- PN:00850121
756	K-91703 4 1/2 REG. RING BAFFLE PLATE (4R)
757	K-91704 5 9/16 API REG. RING BAFFLE PLATE (5R)
758	K-91705 6 5/8 REG. RING BAFFLE PLATE (5F-6R)



NO	DESCRIPTION
759	K-91706 7 5/8 REG. RING BAFFLE PLATE (5F-6R)
760	K-91707 8 5/8 REG. RING BAFFLE PLATE (6F)
761	K-91703 4 1/2 REG. RING BAFFLE PLATE (4R)
762	K-91704 5 9/16 API REG. RING BAFFLE PLATE (5R)
763	K-91705 6 5/8 REG. RING BAFFLE PLATE (5F-6R)
764	K-91706 7 5/8 REG. RING BAFFLE PLATE (5F-6R)
765	K-91707 8 5/8 REG. RING BAFFLE PLATE (6F)
766	KIT, VALVE PARTS, FOR OIL SEPARATOR, - MFG: GARDNER-DENVER COMPANY - P/N# 202EDP6013
767	ELEMENT, THERMOSTAT - MFG: GARDNER-DENVER COMPANY - P/N# 2117384
768	FILTER, AIR, FOR AIR COMPRESSOR APPLICAT - MFG: GARDNER-DENVER COMPANY - P/N# 2118349
769	VALVE, SOLENOID - MFG: GARDNER-DENVER COMPANY - P/N# 91B143
770	VALVE, SOLENOID - MFG: GARDNER-DENVER COMPANY - P/N# 91B144
771	ELEMENT, THERMOSTAT - MFG: GARDNER-DENVER COMPANY - P/N# 2117384
772	SWITCH, CUT OUT LOW PRESSURE - OLD P/N# G4130-138-31 - MFG: GARDNER-DENVER COMPANY - P/N# G3230769
773	TRANSFORMER - MFG: GARDNER-DENVER COMPANY - P/N# 2118244
774	PROBE, TEMPERATURE, THERMISTOR, - MFG: GARDNER-DENVER COMPANY - P/N# 21D264
775	MANUAL MULTI-FOLD VALVE MFG BAOJI CITY P/N : DL40-d25L-4T-4C-4C
776	SENSOR, LEVEL ULTRASONIC VEGASON 62 IP6 - MFG: VEGA CONTROLS LTD. - P/N# SN62.CXAGHKMXX
777	Magnet, Ditch, Heavy Duty, 36" Long w/8" x 8" Square Handles
778	Packing & inland fee
779	Magnet, Ditch, Heavy Duty, 36" Long w/8" x 8" Square Handles
780	Packing & inland fee



NO	DESCRIPTION
781	SWITCH, PRESSURE HIGH 30GX - MFG: CARRIER AIR CONDITIONING COMPANY - P/N# WB12KN011EE
782	COIL, PULSE VALVE 10W - MFG: CARRIER AIR CONDITIONING COMPANY - P/N# XM-12ZM- 017
783	CONTACTOR, ELECTRICAL, 220 V COIL, 440 V - MFG: TAB - P/N# LC1D09M7
784	CF-750 6.00MM ² NIZ CERAMIC FIBRE OUTER SHIELD WIRES 600V, HI-TEMP: -120? TO +750?C CONDUCTOR PURE NICKEL WHITE WITH BLACK TRACER
785	CF-750 3.50MM ² NIZ CERAMIC FIBRE OUTER SHIELD WIRES 600V, HI-TEMP: -120? TO +750?C CONDUCTOR PURE NICKEL
786	4 1/2 REG. RING BAFFLE PLATE (4R)
787	5 9/16 API REG. RING BAFFLE PLATE (5R)
788	6 5/8 REG. RING BAFFLE PLATE (5F-6R)
789	7 5/8 REG. RING BAFFLE PLATE (5F-6R)
790	8 5/8 REG. RING BAFFLE PLATE (6F)
791	SPEEDI SLEEVE 99235 - MFG: SKF P/N#99235
792	SLEEVES WEAR, SKF SPEEDI-SLEEVE MFG:- SKF P/N# 99294
793	SHAFT, WORN TWPX200-15 - MFG: TSC P/N#TWPX20015
794	BEARING, INPUT SHAFT 30212 - MFG: TSC P/N#30212
795	BEARING CUP/CONE - MFG: TIM P/N#30215
796	GEAR, WARM OUTPUT SHAFT FOR MUD AGITAORS MODEL: TWPX200 MFG: TSC P# TWPX200-08
797	SEAL, OIL OF OUTPUT SHAFT 75X105X12 MODEL:TWPX200 - MFG: TSC P/N# 75X105X12
798	SHAFT, OUTPUT TWPX200-10 - MFG: TSC P/N#TWPX20010
799	SEAL, OIL OF INPUT SHAFT 60X90X12 MODEL:TWPX200 - MFG: TSC P/N# 60X90X12
800	RUBBER, FEX BLOCK - MFG: TSC P/N#HJ403
801	OIL LEVELER, FOR MUD AGITAORS MODEL: TWPX200 MFG: TSC P# TWPX200-11
802	NUT, PIN HINGE - MFG : BJ - P/N # 24528
803	INLAND FREIGHT & WAREHOUSE ENTRANCE FEE
804	COOLER PUMP (R901359876),ASSY NO.HP1340, REXROTH BOSCH HYDRAULIC POWER UNIT - MFG: BSRH - P/N# PVQ51-1X/162-018RJ15DDMC (5006/PPL)
805	10ft Open Top
806	20ft Open Top
807	Gas racks
808	Transport Bangkok



NO	DESCRIPTION
809	4 1/2 REG. RING BAFFLE PLATE (4R)
810	5 9/16 API REG. RING BAFFLE PLATE (5R)
811	6 5/8 REG. RING BAFFLE PLATE (5F-6R)
812	7 5/8 REG. RING BAFFLE PLATE (5F-6R)
813	8 5/8 REG. RING BAFFLE PLATE (6F)
814	SENSOR OIL LEVEL - MFG: BITZER, P/N: 34731806
815	Victaulic ductile iron snap joint coupling style 78 c/w nitrile gasket
816	TELEPHONE, WEATHERPROOF INDUTEL-LED VISU - MFG: CROUSE-HINDS COMPANY - P/N# FHF1126450690
817	PHONE, DIGITAL CORDLESS 6.0 PLUS EXPANDA - MFG: PANASONIC INDUSTRIAL CO. - P/N# KX-TG6511B
818	SWITCH, PRESSURE, CONTROL, 8 - 32 BAR IN - MFG: DANFOSS INC - PN# KP5A
819	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 1R - MFG: BAKER - P/N# 480131200
820	VALVE FLOAT, DRILL PIPE MODEL (F) PLUNGER TYPE SIZE 2F - 3R -MFG: BAKER - P/N# 480132432
821	BAFFLE PLATE, RING TYPE 7-5/8 API REG DPFV SIZE 5F-6R - MFG: BAKER - P/N# WVT791706 - OR - MFG: MD - P/N# 191706
822	BAFFLE PLATE, RING TYPE 6-5/8" API DPFV SIZE 5F-6R - MFG: BAKER - P/N# WVT791705 - OR - MFG: MD - P/N# 191705
823	BAFFLE PLATE, RING TYPE 4-1/2 API REG DPFV SIZE 4R - MFG: BAKER - P/N# WVT791703 - OR - P/N# MFG: MD - P/N# 191703
824	BAFFLE PLATE, RING TYPE 3-1/2 API REG DPFV SIZE 2F3R - MFG: BAKER - P/N# WVT791702 - OR - MFG: MD - P/N# 191702
825	3" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
826	4" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
827	5" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
828	3" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
829	4" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
830	5" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
831	3" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
832	4" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS
833	5" KPL TYPE 3 (BUCKLE) FLOATATION COLLARS



NO	DESCRIPTION
834	PUMP, WATER CAST IRON CASING, BRONZE IMPELLER, SST SHAFT, MODEL # CIBRASS, MFG: ALLEN GWYNNES NIMBUS PUMP - P/N: MS-150-125-315
835	INSERT SET, F/ SD SLIPSREF# 216854 PCS/SET 2168-54
836	INSERT SET, F/ SD SLIPSREF# 217054 PCS/SET 2170-54
837	INSERT SET, F/ SD SLIPSREF# 216754 PCS/SET 2167-54
838	INSERT SET, F/ SD SLIPSREF# 216230 PCS/SET 2162-30
839	INSERT SET, F/ SD SLIPSREF# 216554 PCS/SET 2165-54
840	3.1/2"X3.1/2" ROTARY SLIP, TYPE SDMLC/W FLEX HANDLES, C/W INSERTSAPI 7K
841	2 3/8" Insert set for 3 1/2 body SDML SlipRef#216030 pcs/set 2160-30
842	2 7/8" Insert set for 3 1/2 body SDML SlipRef# 216130 pcs/set 2161-30
843	Hinge Pin With Cotter Pin for SDXL #010103004
844	Hinge Pin With Cotter Pin for SDML #010103004
845	Handle Pin with cotter & Washer #010101007
846	Insert Retainer Ring 5 1/2 SDXL #010106004
847	Insert Retainer Ring 4 1/2 SDXL #010102004
848	Insert Retainer Ring 3 1/2 SDML #010101006
849	Kit, 6 Botls & NutFor 3.1/2" SDML & 4.1/2" SDXL6 pcs/set
850	Kit, 6 Botls & NutFor 5.1/2" SDXL6 pcs/set
851	Flex Handles Assy. F/ SD Slips(Left, Right & Center)3 pcs/set 010101021
852	CIRCULAR BUTTONSREF# 262863 PCS/SET 2628-63
853	CIRCULAR BUTTONSREF# 251388 PCS/SET 2513-88
854	CIRCULAR BUTTONSREF# 263088 PCS/SET 2630-88
855	CIRCULAR BUTTONSREF# 263096 PCS/SET 2630-96
856	CIRCULAR BUTTONSREF# 2513
857	CIRCULAR BUTTONSREF# 2620
858	CIRCULAR BUTTONSREF# 2620
859	HING PIN W/ COTTOER PINF/ DCS-S DCS-R 010202004
860	HANDLE PIN W/ COTTER PINF/ DCS-L 010303004 HANDLE
861	PIN C/W WASHER & COTTER PIN 010101007
862	RIGHT & LEFT HANDLE (FLEX) 010101012
863	CENTER HANDEL (FLEX) 010101013
864	RETAINING COTTER PIN 130701954
865	KIT, REPAIR FOR NHR30 ACTUATOR - MFG: NORDIC FLOW CONTROL PTE LTD - P/N# NHR30- RK
866	10 BS85-SS STAINLESS STEEL T316 150# FLANGED END BASKET STRAINER 1/8" PERF 304SS BASKET - BS85S1000



NO	DESCRIPTION
867	6 BS85CL-SS STAINLESS STEEL T316 150# FLANGED END BASKET STRAINER with CLAMP COVER , 1/8" PERF 304SS BASKET - BS85LS0600
868	TRANSMITTER, PRESSURE TANK GAUGING SYSTE - MFG: KOCKUM SONICS AB - P/N# 20640001
869	SAFETY HANDLE ASSY. F/ HT100 PN/ 000410025
870	SAFETY HANDLE ASSY. F/ HT35/HT65 PN/ 000410018
871	Gasket, casing, made in China 10399-46-1
872	seal, impeller, made in China 19110-72
873	seal, mechanical, made in China 22451-1
874	Packing, shaft, made in China 25014-04M-B
875	sleeve shaft (M,S,Pump), made in China 20612-12G-7A
876	sleeve shaft (M,S,Pump), made in China
877	20612-12G-7A Bolt, impeller lock, made in China
878	stuffing box, mech. Seal, made in China 22223-01-30
879	packing, shaft, made in China 25014-04M-B
880	Gland assy, packing, made in China 20622A
881	bolt assy, Gland, made in China B3701A
882	Impeller , 8x6x14 (11.75), made in China 19116-A0-30
883	ELEMENT, PACKING MSP 21-1/4 -2000 PSI 2M NITRILE RUBBER - MFG :HYD - P/N #1003273-02
884	ELEMENT, PACKING GK 13-5/8" – 5M LL NBR- MFG: HYD - P/N# 3131189-02
885	LIGHT, SEARCH LIGHT HALOGEN HIGH VOLTAGE 1000W-GX9.5-230V - MFG: PHILIPS, P/N: 6996P
886	VALVE, CONDENSATE DRAIN - MFG: BCS - P/N# 064008-V001
887	CASE, CARRYING, SCBA STANDARD (FOR 15 MINUTE CYLINDER) ,TAYG-TOOLBOX2 DIMENSION: 500 X 260 X 260 CM, MFG: TAYG, P/N: 116001
888	VALVE, GATE BRONZE 3 IN NPT NON-RISING S - MFG: MILWAUKEE VALVE COMPANY - P/N# 3" 1140
889	KIT, REPAIR FOR NHR30 ACTUATOR - MFG: NORDIC FLOW CONTROL PTE LTD - P/N# NHR30- RK
890	Gate Valves, BW, 5K, Sch XXH, Sour H2S
891	HANDLE, BUTTERFLY VALVE 12 INCH DEMCO - MFG: DEM P/N#22323001
892	HANDLE, ASSY 10 INCH BF VALVE NEW STYLE - MFG: DEM P/N#24230001



NO	DESCRIPTION
893	HANDLE, BUTTERFLY VALVE 5 - 6 INCH DEMC - MFG: DEM P/N#24228001
894	PACKING UNIT, MSP 21-2M, NBR, API 16A - MFG: HYD P/N#311203002
895	VALVE, SOLENOID 24VDC FOR TANK GAUGING SYSTEM , MFG: KOCKUM SONICS AB, , P/N# 20630030
896	EX-RECEPTACLE, MOBILE SOCKET - TYPE: YZ-10K - 400V - 16A - MFG:BYEC - P/N: 16YZ-10K
897	EX-PLUG, MOBILE SOCKET - TYPE: YT-10J - 400V - 16A - MFG:BYEC - P/N: 16YT-10J
898	EX-PLUG 25A - MFG: LSPE P/N# 25YT-5J
899	PLUG, 20 CONTACTOR, 25 AMP - MFG: BEHCP - P/N# 25YT20J
900	EX- NO-SPARK PLUG SOCKET , MFG. LSPE , PN. 16GZ-10K
901	SOCKET, 20 CONTACTOR, 25 AMP - MFG: BEHCP P/N#25GZ20K
902	PLUG, EX - 60A - MFG: LSPE - P/N# 60YT-3P
903	RECEPTICAL, EX -60A - MFG: LSPE - P/N# 60GZ-3P
904	PLUG, 25A 3P-4W 500VAC - 25YT-4P - MFG: LSPE - P/N# 25YT-5K
905	SOCKET, 100A 3P 5WIRE 400/500VAC - MFG: LSPE - P/N# KJ-100GZ-5K
906	PLUG, 100A 3P 5WIRE 400/500VAC - MFG: LSPE - P/N# KJ-100YT-5J
907	PLUG, 100A 3P 4WIRE 400/500VAC - MFG: LSPE - P/N# KJ-100YT-4K
908	PLUG, 150A 3P 4W 400/500VAC KJ-150GZ-4K,- MFG: LSPE - P/N# KJ-150YT-4J
909	SOCKET, 200A 3P 5W 400/500VAC - MFG: LSPE - P/N# KJ- 200GZ-5K
910	PLUG, 200A 3P 5W 400/500VAC,- MFG: LSPE - P/N# KJ- 200YT-5J
911	SOCKET, NON SPARKING 3P-4W ,150A - MFG: LSPE - P/N#150YZ-4P
912	PLUG, 15A 15YT 4PH EX-PROOF - MFG: LSPE - P/N# 15YT-4P
913	SOCKET, NON SPARKING 3P-4W 150A - MFG: LSPE - P/N# 150GZ-4P
914	SOCKET, NON SPARKING 3P-4W 100A- MFG: LSPE - P/N# 100GZ-4P
915	SOCKET, NON SPARKING 3P-4W 200A- MFG: LSPE - P/N# 2 00GZ-4P
916	SOCKET, 100A 3P 4WIRE 400/500VAC- MFG: LSPE - P/N# 100GZ-4K
917	Ignition Gun PN. CZBK-IIIB-10
918	ignition cable, use for ignition gun, length 20m
919	Packing fee, a customized wooden box to pack item1
920	P/N: 641209903 , IMPELLER FOR MISSION MAGNUM PUMP [8 X 6 X 14] FOR MUD MIXING , MUD CHARGING , DESILTER/DESANDER PUMPS



NO	DESCRIPTION
921	P/N: 641217005 , IMPELLER FOR MISSION MAGNUM PUMP [4 X 3 X 13] FOR TRIP TANK PUMP.
922	P/N: 641211602 , IMPELLER FOR MISSION MAGNUM PUMP [6 X 5 X 14] FOR BRINE PUMP & DEGASSER
923	641116157 , P/N :22223-01-30 , STUFFING BOX FOR MECH SEAL FOR MISSION MAGNUM PUMP
924	641101076 , P/N: 10399-46-1A , FLUID END GASKET FOR MISSION MAGNUM PUMP
925	661009010A , P/N: 661009010A Inboard bearing and spacer FOR MISSION MAGNUM PUMP
926	648408201S , P/N: 648408201S Outboard bearing set (2 Brng. set) FOR MISSION MAGNUM PUMP
927	648414308 , P/N: 22451-1 Mechanical seal TC/TC FOR MISSION MAGNUM PUMP
928	648409282 , P/N: 20952 Impeller removal wrench FOR MISSION MAGNUM PUMP
929	641103312 , P/N: 20625A POWER END GASKET KIT FOR MISSION MAGNUM PUMP
930	641100409 , P/N: 6123-4A BEARING LOCK NUT KIT FOR MISSION MAGNUM PUM
931	661007005 PACKING , GRAPHITE ACRYLIC FOR MISSION MAGNUM PUMP
932	641102182 , P/N: 20943-21A 416SS SHAFT SLEEVE FOR MECH SEAL FOR MISSION MAGNUM PUMP
933	CONTROLLER, TEMPERATURE ELECTRONIC, 24V DC - MFG: TAIWAN TBC - P/N: TB100-101000 - 24V DC
934	PACKING & INLAND FEE
935	FLOORING, RUBBER COIN GRIP, 1/4IN, 4 FT X 10 FT -MFG:LOP -PN: 4FTX10FTX1/4IN
936	BOX, TERMINAL ELECTRICAL - MFG: PATRIOT - P/N: 21231-31-0701/003
937	Packing and inland fee
938	VALVE, BUTTERFLY, WAFER SERIES NE-C, 200 - MFG: CAMERON IRON WORKS INC - P/N# J022122-1222341
939	SWITCH, PRESSURE UL DIFFERENTIAL ADJUSTA - MFG : UEC - P/N # J120K455
940	BAFFLE PLATE, SIZE 5-9/16" API REG, RING TYPE DPFV SIZE 5R -MFG: BAKER - P/N# WVT791704 -OR - MFG: MD - P/N# 191704
941	BAFFLE PLATE, SPIDER TYPE 3-1/2 API FULL HOLE DPFV SIZE 3F- MFG: BAKER - P/N# WVT791711 -OR- MFG: MD - P/N# 19171



NO	DESCRIPTION
942	BAFFLE PLATE, SPIDER TYPE 2-7/8 API IF DPFV SIZE 2F-3R - MFG: BAKER - P/N# WVT791740 - OR- MFG: MD - P/N# 191740
943	BAFFLE PLATE, RING TYPE 8-5/8 API REG DPFV SIZE 6F - MFG: BAKER - P/N# WVT791707 -ORMFG: MD - P/N# 191707
944	BAFFLE PLATE, RING TYPE NC46, 4 IF DPFV SIZE 4F - MFG: BAKER - P/N# WVT791744 -ORMFG: MD - P/N# 191744
945	BAFFLE PLATE, RING TYPE 4-1/2 API REG DPFV SIZE 4R - MFG: BAKER - P/N# WVT791703 - OR - P/N# MFG: MD - P/N# 191703
946	BAFFLE PLATE, RING TYPE 3-1/2 API REG DPFV SIZE 2F3R - MFG: BAKER - P/N# WVT791702 - OR - MFG: MD - P/N# 191702
947	PLATE, BAFFLE 4-1/2 API REG RING TYPE - MFG : MD - P/N # EBP450
948	BAFFLE PLATE, RING TYPE 6-5/8" API DPFV SIZE 5F-6R - MFG: BAKER - P/N# WVT791705 - OR - MFG: MD - P/N# 191705
949	BAFFLE PLATE, RING TYPE 7-5/8 API REG DPFV SIZE 5F-6R - MFG: BAKER - P/N# WVT791706 - OR - MFG: MD - P/N# 191706
950	PLATE, BAFFLE 7-5/8 IN API REGULAR 4R FL - MFG : MD - P/N # 78F23546
951	BAFFLE PLATE, SPIDER TYPE 2-7/8 API REG DPFV SIZE 1F-2R - MFG: BAKER - P/N# WVT791701 -OR- MFG: MD - P/N# 191701
952	BAFFLE PLATE, RING TYPE 4-1/2 API REG DPFV SIZE 4F - MFG: BAKER - P/N# WVT791702 -ORMFG: MD - P/N# 191702
953	BAFFLE PLATE, SPIDER TYPE 5-9/16 FH, 6-5/8 API REG DPFV SIZE 5F-6R - MFG: BAKER - P/N# WVT791723 -ORMFG: MD - P/N# 191723
954	BAFFLE PLATE, SPIDER TYPE F/NC31 2-7/8 IF DPFV SIZE 2F-3R - MFG: BAKER - P/N# WVT791743 -OR- MFG: MD - P/N# 191743



NO	DESCRIPTION
955	BAFFLE PLATE, SPIDER TYPE 3-1/2 API FULL HOLE DPFV SIZE 3F- MFG: BAKER - P/N# WVT791721 -OR- MFG: MD - P/N# 191721
956	BAFFLE PLATE, RING TYPE 4-1/2 IF - MFG: MD OR BAKER SUPPLY PRODUCTS - P/N# 191742 OR WVT791742
957	2-wire programmable transmitter Brand/Origin: PR Electronics/ Denmark
958	5-1/2" Vamtop valve(Full opening safety valve), 10000 psi.(23 LBS)
959	4-1/2" Vamtop valve(Full opening safety valve), 10000 psi. (13.5 LBS)
960	COUPLING, SPIDER - MFG: PRC P/N#52/2510647
961	SEAL, PLUG RCA 40 07 NEUTRO F/ INPUT SHA - MFG: PRC P/N#52/2001033
962	SEAL, OIL 50.000 X 72.000 X 8.000 - MFG: PRC P/N#52/2000918
963	PLUG, OIL LEVEL 28.00 420.00 WASHER G0.5 - MFG: PRC P/N#52/2002376
964	SEAL, OIL TOP OUTPUT 85X130X10 TC NBR - MFG: PRC P/N#52/2001007
965	PLUG, GEAR BOX BREATHER 10HP - 25HP - MFG: PRC P/N#52/3033136
966	CLAMP FOR 2-15/16" SHAFT MFG:- PSI P/N# 2.9375CTX
967	VALVE, PNEUMATIC/MANUAL - PRESSURE REGULATING - MFG: SSPE - P/N# JYSQ21-25
968	SEAL, OIL TOP OUTPUT 85X130X10 TC NBR - MFG: PRC P/N#52/2001007
969	SHAFT, 4140 MAGNUM PUMP 52133900 - MFG: MIS - P/N# 646490557 - OR - MFG: TSC - P/N# TS- 20612-02-33 -OR - MFG: MIS - P/N# H20612-02-33
970	WASHPIPE, 3" BORE 7500 PSI - MFG : NOV - P/N# 30123289
971	KIT, SEAL WASHPIPE PACKING 7500PSI - MFG: NOV - P/N# 30123290PK
972	CLAMP, 38MM - MFG: JIANGHAN - P/N# JZG42A-3
973	NUT, HEXAGONAL M24 MODEL 1 FOR DEAD LINE ANCHOR TYPE JZG34A - MFG: HH P/N# GB/T-6170-2000-JZG3
974	SENSOR, - MFG: HUBEI - P/N# JZ500A.1.6
975	PRESS BLOCK - MFG: HUBEI - P/N# JZG41A.1.4
976	HEX HEAD BOLT M24 X200-8.8. - MFG: HUBEI - P/N# GB/T 5782-2000
977	SEAL, MECHANICAL HSCP.32.03B - MFG: TSC P/N#HSCP.32.03B



NO	DESCRIPTION
978	PACKING-MFG:TSC-PN:7X7
979	SLEEVE-MFG:TSC-P/N:10-TSC 3
980	KIT, MECHANICAL SEAL TUNGSTEN- MFG: MIS - P/N# 648414308 - OR- MFG: BAKER SPD - P/N# WVBUF9000- OR- MFG: HALCO - P/N# H22451-1A
981	SLEEVE, SHAFT, 416 STAINLESS STEEL, CERAMIC COATED, FOR 2500 PUMP, NATIONAL OILWELL MISSION - MFG: MIS - P/N# 641102181 - OR- MFG: BAKER SPD - P/NA# 052144200 - MFG : MIS P/N #2061321G7A
982	STUFFING BOX, F/ MECH SEAL, MAG. 2500 PU- MFG: NOV - P/N# 641116157 - OR - MFG: MIS - P/N# 22223-01-30 - OR - MFG: MIS - P/N# 22223AH
983	GASKET, CASING - MFG: MIS - P/N# 648403012 - OR - 10399461 - OR - 52137100
984	V-BELT, ASSY FOR MIXING PUMP SET=5EA -MFG:NOI-MISSION-PN:PN:9388-5095
985	Fuel injection pump (7940837 & BHF4P120005 & 4P701-120-1100 & 510-82702013), use for 4BTA3.9-C110-II(Dongfeng Cummins Engine) S/N: 78649484
986	Packing & inland fee
987	P/N RLG-LP-11 SELF CLOSING LEVEL GAUGE, Pressure range 3 Kg/cm3 RLG-LP-11(C-C 32.5Inch) The distance is 32.5 inches flange center to flange center.
988	LIGHT DUTY RED IRON SAFETY SLING 4 FEET LENGTH NB: EACH SLING TO HAVE A SEPARATE UNIQUE IDENTITY SERIAL NUMBER FULL OEM CERTIFICATION PACKAGE OF ALL ITEMS INCLUDING LOAD TEST / INSPECTION DATE
989	LIGHT DUTY RED IRON SAFETY SLING 10 FEET LENGTH NB: EACH SLING TO HAVE A SEPARATE UNIQUE IDENTITY SERIAL NUMBER FULL OEM CERTIFICATION PACKAGE OF ALL ITEMS INCLUDING LOAD TEST / INSPECTION DATE
990	HAND PALLET TRUCK – MHPT SERIES, CAPACITY 5000 KG, FORK LENGTH (MM)-1150/1220, WIDTH OVER FORKS (MM) 550/685, LIFTING HEIGHT (MM) 205, MIN. FORK HEIGHT (MM) 88, MAKE:WPL, ITEM NEED WITH CERTIFICATION - Must be comply with ASME B30.20



NO	DESCRIPTION
991	KIT, VALVE PARTS, FOR OIL SEPARATOR, - MFG: GARDNER-DENVER COMPANY - P/N# 202EDP6013
992	PROBE, TEMPERATURE, THERMISTOR, - MFG: GARDNER-DENVER COMPANY - P/N# 21D264
993	FILTER, OIL - MFG: GARDNER-DENVER COMPANY - P/N# 2118342
994	COUPLING, SPIDER DRIVER - MFG: GARDNER-DENVER COMPANY - P/N# 2118273
995	KIT, VALVE PARTS, FOR OIL SEPARATOR, - MFG: GARDNER-DENVER COMPANY - P/N# 202EDP6013
996	SEAL, BONNET NEW STYLE 13-5/8-3-10K CIW TYPE U H2S TRIM RAM BLOWOUT PREVENTER - MFG: CIW - P/N# 644197030001 or 644573-03-00-01
997	PANEL, DISPLAY GE FANUC PLC QUICK - MFG:GE FANUC AUTOMATION CORPPN: IC754VSI06STD
998	KIT, MECHANICAL SEAL TUNGSTEN- MFG: MIS - P/N# 648414308 - OR- MFG: BAKER SPD - P/N# WVBUF9000- OR- MFG: HALCO - P/N# H22451-1A
999	REPAIR KIT, SHAFT SLEEVE CENTR PUMP - MFG: MIS - P/N# 641102182 - OR - MFG: TSC
1000	STUFFING BOX, F/ MECH SEAL, MAG. 2500 PU- MFG: NOV - P/N# 641116157 - OR - MFG: MIS - P/N# 22223-01-30 - OR - MFG: MIS - P/N# 22223AH
1001	RUBBER, FEX BLOCK - MFG: TSC P/N#HNJ403
1002	COUPLING, RUBBER 80X200X28 FOR 8X6 PUMP - MFG: BOMCO P/N#TS250CP01A
1003	SEAL, OIL OF INPUT SHAFT 60X90X12 MODEL:TWPX200 - MFG: TSC P/N# 60X90X12
1004	SEAL, OIL OF OUTPUT SHAFT 75X105X12 MODEL:TWPX200 - MFG: TSC P/N# 75X105X12
1005	HIGH PRESSURE NOZZLE - MFG: LSPE - P/N# 3400 0491
1006	WATER SEAL SERVICE KIT - MFG: LSPE - P/N# 5019 0039
1007	OIL SEAL REPAIR KIT - MFG: LSPE - P/N# 5019 0219
1008	ASSY, STEEL WIRE ROPE - MFG: MBOMCO P/N# YM16II B1-04
1009	SLEEVE, SHAFT CERAMIC - MFG: MCM OIL TOOLS - P/N# P25HSLVC
1010	SEAL, MECHANICAL 250 - MFG: ODR - P/N# P25MSXX
1011	KING PACKING - MFG: ODR - P/N# P25PM SK



NO	DESCRIPTION
1012	GASKET, END, FLUID - MFG: MCMO - P/N# P25FEGK
1013	GUAGE; PRESSURE FOR PULSATION DMAPNER 75 - MFG: MTC P/N#6468
1014	GASKET, COVER WRENCH HOLE SLUSH PUMP TRIPLEX - MFG : OW - P/N # 1292064
1015	STABILIZER, SUCTION 5000 PSI FOR MDL A55 - MFG: ACUMEN INTERNATIONAL - P/N# S-1005213
1016	VALVE; CHARGING FOR PULSATION DAMPENER 7 - MFG: MTC P/N#6478
1017	BLADDER, K-20 PULSATION DAMPENER 7500PSI - MFG: SRP P/N#S1005208U
1018	LOCK, DOOR FIREPROOF FOR SHIPS - MFG: NANTONG HUJIANG GROUP - P/N# C4
1019	DETECTOR, SMOKE OPTICAL INTRINSICALLY SA - MFG: APOLLO FIRE DETECTORS LTD - P/N# 55000-640APO
1020	GAUGE, PRESSURE 0-500 PSI 2-1/2 IN FACE - MFG: ASHCROFT COMPANY - P/N# 25-1009SWL-02L-500
1021	GAUGE, PRESSURE 0-300 PSI 2-1/2 IN FACE - MFG: ASHCROFT COMPANY - P/N# 25-1009SWL-02L-300
1022	VALVE-FLOAT,BAKER SPD,480152432,MODEL G,2F-3R,3-1/2 IN REG,FLAPPER TYPE
1023	VALVE-FLOAT,BAKER SPD,480154200,MODEL G,4R,4-1/2 IN REG,FLAPPER TYPE
1024	VALVE-FLOAT,BAKER SPD,480155200,MODEL G,5R,5-1/2 IN REG,FLAPPER TYPE
1025	VALVE-FLOAT,BAKER SPD,480155462,MODEL G,5F-6R,6-5/8 IN REG,FLAPPER TYPE
1026	VALVE-FLOAT,BAKER SPD,480132432,MODEL F,2F-3R,3-1/2 IN REG,PLUNGER TYPE
1027	VALVE-FLOAT,BAKER SPD,480134200,MODEL F,4R,4-1/2 IN REG,PLUNGER TYPE
1028	VALVE-FLOAT,BAKER SPD,480135200,MODEL F,5R,5-1/2 IN REG,PLUNGER TYPE
1029	VALVE-FLOAT,BAKER SPD,480135462,MODEL F,5F-6R,6-5/8 IN REG,PLUNGER TYPE
1030	KIT-REPAIR,BAKER,16013200,METALS,MODEL G,2F-3R,3-1/2 IN REG,FLAPPER TYPE
1031	KIT-REPAIR,BAKER,16013800,RUBBER,MODEL G,2F-3R,3-1/2 IN REG,FLAPPER TYPE



NO	DESCRIPTION
1032	KIT-REPAIR,BAKER,16013400,METALS,MODEL G,4R,4-1/2 IN REG,FLAPPER TYPE
1033	KIT-REPAIR,BAKER,16014000,RUBBER,MODEL G,4R,4-1/2 IN REG,FLAPPER TYPE
1034	KIT-REPAIR,BAKER,16013600,METALS,MODEL G,5R,5-1/2 IN REG,FLAPPER TYPE
1035	KIT-REPAIR,BAKER,16014200,RUBBER,MODEL G,5R,5-1/2 IN REG,FLAPPER TYPE
1036	KIT-REPAIR,BAKER,16013700,METALS,MODEL G,5F-6R,6-5/8 IN REG,FLAPPER TYPE
1037	KIT-REPAIR,BAKER,16014300,RUBBER,MODEL G,5F-6R,6-5/8 IN REG,FLAPPER TYPE
1038	KIT-REPAIR,BAKER,16011400,METALS,MODEL F,2F-3R,3-1/2 IN REG,PLUNGER TYPE
1039	KIT-REPAIR,BAKER,16012400,RUBBER,MODEL F,2F-3R,3-1/2 IN REG,PLUNGER TYPE
1040	KIT-REPAIR,BAKER,16011700,METALS,MODEL F,4R,4-1/2 IN REG,PLUNGER TYPE
1041	KIT-REPAIR,BAKER,16012700,RUBBER,MODEL F,4R,4-1/2 IN REG,PLUNGER TYPE
1042	KIT-REPAIR,BAKER,16011900,METALS,MODEL F,5R,5-1/2 IN REG,PLUNGER TYPE
1043	KIT-REPAIR,BAKER,16012900,RUBBER,MODEL F,5R,5-1/2 IN REG,PLUNGER TYPE
1044	KIT-REPAIR,BAKER,16012000,METALS,MODEL F,5F-6R,6-5/8 IN REG,PLUNGER TYPE
1045	KIT-REPAIR,BAKER,16013000,RUBBER,MODEL F,5F-6R,6-5/8 IN REG,PLUNGER TYPE
1046	PLATE-BAFFLE,BAKER,K-91703,4R,4-1/2 REG
1047	PLATE-BAFFLE,BAKER,K-91704,5R,5-9/16 REG
1048	PLATE-BAFFLE,BAKER,K-91705,5F-6R,6-5/8 REG
1049	PLATE-BAFFLE,BAKER,K-91706,5F-6R,7-5/8 REG
1050	PLATE-BAFFLE,BAKER,K-91707,6F,8-5/8 REG
1051	VALVE-FLOAT,BAKER SPD,480152432,MODEL G,2F-3R,3-1/2 IN REG,FLAPPER TYPE
1052	VALVE-FLOAT,BAKER SPD,480154200,MODEL G,4R,4-1/2 IN REG,FLAPPER TYPE
1053	VALVE-FLOAT,BAKER SPD,480155200,MODEL G,5R,5-1/2 IN REG,FLAPPER TYPE



NO	DESCRIPTION
1054	VALVE-FLOAT,BAKER SPD,480155462,MODEL G,5F-6R,6-5/8 IN REG,FLAPPER TYPE
1055	VALVE-FLOAT,BAKER SPD,480132432,MODEL F,2F-3R,3-1/2 IN REG,PLUNGER TYPE
1056	VALVE-FLOAT,BAKER SPD,480134200,MODEL F,4R,4-1/2 IN REG,PLUNGER TYPE
1057	VALVE-FLOAT,BAKER SPD,480135200,MODEL F,5R,5-1/2 IN REG,PLUNGER TYPE
1058	VALVE-FLOAT,BAKER SPD,480135462,MODEL F,5F-6R,6-5/8 IN REG,PLUNGER TYPE
1059	KIT-REPAIR,BAKER,16013200,METALS,MODEL G,2F-3R,3-1/2 IN REG,FLAPPER TYPE
1060	KIT-REPAIR,BAKER,16013800,RUBBER,MODEL G,2F-3R,3-1/2 IN REG,FLAPPER TYPE
1061	KIT-REPAIR,BAKER,16013400,METALS,MODEL G,4R,4-1/2 IN REG,FLAPPER TYPE
1062	KIT-REPAIR,BAKER,16014000,RUBBER,MODEL G,4R,4-1/2 IN REG,FLAPPER TYPE
1063	KIT-REPAIR,BAKER,16013600,METALS,MODEL G,5R,5-1/2 IN REG,FLAPPER TYPE
1064	KIT-REPAIR,BAKER,16014200,RUBBER,MODEL G,5R,5-1/2 IN REG,FLAPPER TYPE
1065	KIT-REPAIR,BAKER,16013700,METALS,MODEL G,5F-6R,6-5/8 IN REG,FLAPPER TYPE
1066	KIT-REPAIR,BAKER,16014300,RUBBER,MODEL G,5F-6R,6-5/8 IN REG,FLAPPER TYPE
1067	KIT-REPAIR,BAKER,16011400,METALS,MODEL F,2F-3R,3-1/2 IN REG,PLUNGER TYPE
1068	KIT-REPAIR,BAKER,16012400,RUBBER,MODEL F,2F-3R,3-1/2 IN REG,PLUNGER TYPE
1069	KIT-REPAIR,BAKER,16011700,METALS,MODEL F,4R,4-1/2 IN REG,PLUNGER TYPE
1070	KIT-REPAIR,BAKER,16012700,RUBBER,MODEL F,4R,4-1/2 IN REG,PLUNGER TYPE
1071	KIT-REPAIR,BAKER,16011900,METALS,MODEL F,5R,5-1/2 IN REG,PLUNGER TYPE
1072	KIT-REPAIR,BAKER,16012900,RUBBER,MODEL F,5R,5-1/2 IN REG,PLUNGER TYPE
1073	KIT-REPAIR,BAKER,16012000,METALS,MODEL F,5F-6R,6-5/8 IN REG,PLUNGER TYPE



NO	DESCRIPTION
1074	KIT-REPAIR,BAKER,16013000,RUBBER,MODEL F,5F-6R,6-5/8 IN REG,PLUNGER TYPE
1075	PLATE-BAFFLE,BAKER,K-91703,4R,4-1/2 REG
1076	PLATE-BAFFLE,BAKER,K-91704,5R,5-9/16 REG
1077	PLATE-BAFFLE,BAKER,K-91705,5F-6R,6-5/8 REG
1078	PLATE-BAFFLE,BAKER,K-91706,5F-6R,7-5/8 REG
1079	PLATE-BAFFLE,BAKER,K-91707,6F,8-5/8 REG
1080	[Inventory]MU 80-315
1081	Compleat Board With Modem (Typ. Wave Link) PN. HT-0618-1156 & Modem PN .RM024-P125-C-30 & Model : RM024 For RC H2S Repeter System
1082	MODULE, AC CONTROL - MFG: CSPE - P/N# 2221-2500-00
1083	VALVE, PRESSURE RELIEF PIOLT MODEL 1330 1/2 IN NPT SS CONSTRUCTION - MFG: OCV - PN: 302704
1084	SPRING, RED 20-80 PSI - MFG: OCV - PN: 651703
1085	KIT, SPARE PART MODEL 1330 VALVE EPDM RUBBER - MFG: OCV - PN: 9304
1086	CAP - MFG: OCV - PN: 692002
1087	VALVE, FLOW CONTROL 1/2 IN NPT SS CONSTRUCTION - MFG: OCV - PN: 682702
1088	STRAINER, Y TYPE 1/2 IN NPT Y TYPE SS CONSTRUCTION - MFG: OCV - PN: 660701
1089	VALVE, FLOW CONTROL 3/8 IN NPT SS CONSTRUCTION - MFG: OCV - PN: 682701
1090	COMPRESSOR FOR VFD HOUSE - MFG: COLAND - P/N# ZB66KCETFD551
1091	FILTER, AIR, FOR AIR COMPRESSOR APPLICAT - MFG: GARDNER-DENVER COMPANY - P/N# 2118349
1092	MISC HANDLING FEE
1093	COUPLING, SPIDER DRIVER - MFG: GARDNER-DENVER COMPANY - P/N# 2118273
1094	VALVE, GATE BRONZE 3 IN NPT NON-RISING S - MFG: MILWAUKEE VALVE COMPANY - P/N# 3" 1140
1095	Heavy Duty Waterproof Tarpaulin,Multi-purpose UV Resistant Reversible PE Tarp Cover For F/ Drill line Spool (Riquired - 4ea lifting eyes on each corner)
1096	Heavy Duty Waterproof Tarpaulin,Multi-purpose UV Resistant Reversible PE Tarp Cover for test pump



NO	DESCRIPTION
1097	KIT, REPAIR RUBBER FOR FLOAT VALVE MODEL (G & GA) SIZE 5F-6R - MFG: BAKER - P/N# 16014300
1098	KIT, DIE UPPER DIE KIT W/2 DIES, BOLTS, & SOCKETS - MFG: NOV - P/N# 30174222
1099	Alphino Brand 4-Colour Weatherproof Xenon Beacon
1100	2F-3R MODEL G PULLER ASSEMBLY
1101	4R MODEL G BOTTOM PULLER ASSEMBLY
1102	5F-6R MODEL G BOTTOM PULLER ASSEMBLY
1103	2F-3R MODEL G H2S/HIGH TEMP SERVICE DRILL PIPE FLOAT VALVE
1104	2F-3R H2S/HIGH TEMP G GA & GC RUBBER REPAIR KIT
1105	2F-3R MODEL G & GC H2S/HIGH TEMP METAL REPAIR KIT
1106	4R MODEL G H2S/HIGH TEMP SERVICE DRILL PIPE FLOAT VALVE
1107	4R Model G, GA, GB, GC, GCA, GS & GAS H2s Serv. Rubber Repair Kit
1108	4R MODEL G & GC H2S/HIGH TEMP METAL REPAIR KIT
1109	5F-6R MODEL G H2S/HIGH TEMP SERVICE DRILL PIPE FLOAT VALVE
1110	5F-6R Model G, GA, GB, GC, GCA, GS & GAS H2s Serv. Rubber Repair Kit
1111	5F-6R MODEL G & GC H2S/HIGH TEMP METAL REPAIR KIT
1112	2F-3R MODEL G SHOCK ABSORBER H2S REV.0
1113	5F-6R MODEL G SHOCK ABSORB REV.01
1114	5F-6R MODEL G SHOCK ABSORB REV.01
1115	HAND PALLET TRUCK – MHPT SERIES, CAPACITY 5000 KG, FORK LENGTH (MM)-1150/1220, WIDTH OVER FORKS (MM) 550/685, LIFTING HEIGHT (MM) 205, MIN. FORK HEIGHT (MM) 88, MAKE:WPL, ITEM NEED WITH CERTIFICATION - Must be comply with ASME B30.
1116	2F-3R MODEL G PULLER ASSEMBLY
1117	4R MODEL G BOTTOM PULLER ASSEMBLY
1118	5F-6R MODEL G BOTTOM PULLER ASSEMBLY
1119	2F-3R MODEL G H2S/HIGH TEMP SERVICE DRILL PIPE FLOAT VALVE
1120	2F-3R H2S/HIGH TEMP G GA & GC RUBBER REPAIR KIT
1121	2F-3R MODEL G & GC H2S/HIGH TEMP METAL REPAIR KIT
1122	4R MODEL G H2S/HIGH TEMP SERVICE DRILL PIPE FLOAT VALVE



NO	DESCRIPTION
1123	4R Model G, GA, GB, GC, GCA, GS & GAS H2s Serv. Rubber Repair Kit
1124	4R MODEL G & GC H2S/HIGH TEMP METAL REPAIR KIT
1125	5F-6R MODEL G H2S/HIGH TEMP SERVICE DRILL PIPE FLOAT VALVE
1126	5F-6R Model G, GA, GB, GC, GCA, GS & GAS H2s Serv. Rubber Repair Kit
1127	5F-6R MODEL G & GC H2S/HIGH TEMP METAL REPAIR KIT
1128	2F-3R MODEL G SHOCK ABSORBER H2S REV.0
1129	5F-6R MODEL G SHOCK ABSORB REV.01
1130	5F-6R MODEL G SHOCK ABSORB REV.01
1131	LIGHT DUTY RED IRON SAFETY SLING 4 FEET LENGTH NB: EACH SLING TO HAVE A SEPARATE UNIQUE IDENTITY SERIAL NUMBER FULL OEM CERTIFICATION PACKAGE OF ALL ITEMS INCLUDING LOAD TEST / INSPECTION DATE
1132	LIGHT DUTY RED IRON SAFETY SLING 10 FEET LENGTH NB: EACH SLING TO HAVE A SEPARATE UNIQUE IDENTITY SERIAL NUMBER FULL OEM CERTIFICATION PACKAGE OF ALL ITEMS INCLUDING LOAD TEST / INSPECTION DATE
1133	BARREL, PACKING, 5/8" PLUNGER - MFG: HDXP - P/N# 0132A
1134	BARREL, PACKING O-RING - MFG: HYDP - P/N# 0125
1135	ADAPTER, MALE, 5/8" PLUNGER - MFG: HDXP - P/N# 130
1136	VENT AND OIL FILLER - MFG: HYDROPLEX - P/N# 0156
1137	2 BUTTON PENDANT KIT, MFG: NERPAC INC, PN#ZCP2
1138	Misc. handling fee
1139	SWITCH, 3 POSITION TYPE 8040/1180X-26M03SA04
1140	SWITCH, SELECTOR 3 POSITION 500VAC 10A IP66 POLYESTER RESIN - MFG: STAHL - P/N# 8040/1180X-26M03SA04
1141	RETAINER PLATE , FOR PULSATION DAMPENER MFG :LSPE P/N#107.130.04
1142	BOLT - MFG. LSPE - P/NO# 107.130.05 - (1"-8UNC-2A) FOR PULSATION DAMPENER
1143	RUBBER PLATE OF PULSATION DAMPENER - MFG: LSPE - P/N# 107.130.02
1144	PIN, HINGE FOR TYPE SDD TONG - MFG: BJ P/N#200204+50
1145	INLAND FREIGHT & WAREHOUSE ENTRANCE FREE
1146	BLADDER, K-20 PULSATION DAMPENER 7500PSI - MFG: SRP P/N#S100520
1147	STABILIZER, SUCTION 5000 PSI FOR MDL A55 - MFG: ACUMEN INTERNATIONAL - P/N# S- 1005213



NO	DESCRIPTION
1148	BOLT & WASHER, STABILIZER MFG: MTC P/N# 6022
1149	PLATE, STABILIZER, FOR FC2200 EMSCO MUD PUMP - MFG: MATTCO GH - P/N# 16021
1150	REPAIR KIT, SHAFT SLEEVE CENTR PUMP - MFG: MIS - P/N# 641102182 - OR - MFG: TSCM - P/N# TS20943-21 - OR - MFG: FSPD - P/N# 52137000 - OR - MFG: TSC - P/N# CP-20943-04A
1151	KIT, MECHANICAL SEAL TUNGSTEN- MFG: MIS - P/N# 648414308 - OR- MFG: BAKER SPD - P/N# WVBUF9000- OR- MFG: HALCO - P/N# H22451-1A
1152	IMPELLER 12IN, HARD IRON, 3X2 - MFG: MIS P/N#192048X30
1153	IMPELLER, HI 6X8 19116-80-30 MFG: MIS P/N# 641209309
1154	SHAFT, 4140 MAGNUM PUMP 52133900 - MFG: MIS - P/N# 646490557 - OR - MFG: TSC - P/N# TS- 20612-02-33 -OR - MFG: MIS - P/N# H20612-02-33
1155	V-BELT, ASSY FOR MIXING PUMP SET=5EA -MFG:NOI-MISSION-PN:PN:9388-5095
1156	COUPLING, 13MM RUBBER GASKETS AND BOLTS - MFG: BRIGHT WAY - P/N# BW4313
1157	WINDOW ROOM 427 , A 60 FIRE RATING, DIMENSIONS 450 X 630 MM, MARKED AS F60-1 ON DRAWING, WINDOWS TO BE DELIVERED COMPLETE WITH ABS CERTIFICATION MFG: SHANGHAI SHENTE MANUFACTURING CO LTD, P/N# SST-60-450/63
1158	SLIPS, 5-1/2" X 5", SDXL, ROTARY SLIPS, W/INSERTS – MFG: AOT – P/N# 24-3
1159	BODY, 5 IN FOR SLIP AOT "SD" TYPE ROTARY SLIPS LESS INSERTS TYPE SDXL - MFG: AOT - PN: 24-100
1160	ETRA COPPER CABLE LUGS PART# SKP-50/M11 MFG:-ONKA P/N# SKP-50/M11
1161	MICROLOGIC, 2.0A FOR MASTERPACT NT16 H1 - MFG: SCH - P/N# 33071
1162	BATTERY, PACK 20V MAX* COMPACT XR LITHIUM ION - MFG : DEW - P/N #DCB203
1163	TUBE, LED Emergency T8 Tube, 2FT-9W, with Integrated Battery Backup (5000K) - MFG: E2 LIGHTING - P/N # E2-T8-2FT-9W-EBBU



NO	DESCRIPTION
1164	TUBE, LED Emergency T8 Tube, 4FT-18W, with Integrated Battery Backup (5000K) - MFG: E2 LIGHTING - P/N # E2-T8-4FT-18W-EBBU
1165	NUT, HEX M16 STYLE 75 FLEX COUPLING - MFG: VICTAULIC COMPANY OF AMERICA - PN: B20000M1600004
1166	PORTA COOL COVER DESIGN AS PER ATTCAHED DRAWING
1167	TANK - WELDMENT - MFG: HOB - P/N# 00-893047
1168	Accum 11 Gal Bladder Assy. 3000 PSI 10350105
1169	Accum Cap (Yellow) 10350135
1170	Accum Valve Core 10350140
1171	Accum Valve Adapter Assy 3/8" -24 10350142
1172	Accum Valve Adapter O-Ring 10350143
1173	Accum Valve Jam Nut, 7/8"-14 10350145
1174	Accum Anti Extrusion Ring / F 2.5-15 Gallon 10350155
1175	Accum Washer Back up Metal 10350180
1176	Accum Port O-Ring 10350185
1177	Accum Port Back Up Ring, Rubber 10350190
1178	Accum. Port Lock Nut 10350210
1179	Valve Guard, Carbon Steel for 2.5-15 Gal. Accum 10350130
1180	Non Inventory Item (Graco Major Repair Kit)
1181	Cat Pump 6821 Seal Kit 701649 65720998
1182	Cat Pump 6821/3517 Valve Kit 34151 65720999
1183	Cat Pump 6821/6831 Seal, Oil, Crankcase 29454 657202
1184	Cat Pump 6821 Plunger 43957 65720285
1185	Cat Pump 6821/6831 Backup Ring, Plunger Retainer 20189 65720290
1186	Cat Pump 6821/6831 Gasket Plunger, Retainer 44085 65720300
1187	Cat Pump 6821 Backup Ring, Spacer Inner 48371 65720400
1188	Cat Pump 6821 Spring, Coil 44793 65720440
1189	Cat Pump 6821/6831 Cylinder, V-Packing 701330 65720375
1190	Valve, SPM Repair Kit 1" 75415199
1191	Reg. PTR5/MTR5 Repair Kit 40500999
1192	Reg. Manual 3/4" Rep Kit Comp 40100999



NO	DESCRIPTION
1193	Repair Kit, Major 1" Selector Valve 75150999
1194	Seal Kit, 4-Way Valve 1" 75150997
1195	Repair Kit, Major 1" Bypass Valve 75100999
1196	Pneu. Cylinder 3" X 2" Repair Kit 85150999
1197	Pneu. Cylinder 3" X 2" Barrel 75150125
1198	Valve, Check 1" 5000 PSI 75720125
1199	Press, Switch, Air 5000 PSI 55150100
1200	Lubricator, Air, 1 1/2" 60250120
1201	Filter, Air, 1-1/2" 60200120
1202	Filter, Air, 1/2" 60200110
1203	Filter, High Press Element 16", 3000 PSI 6 micron 60300115
1204	Accum C & G Assy 3000PSI (replaces 10500107) 10500100
1205	Misc. handling fee
1206	PNEUMATIC ACTUATOR, B/FLY VALVE - MFG : FMC - P/N # 3258068
1207	PACKING AND INLAND FEE
1208	SMALL ORDER HANDLING FEE
1209	Spiral Drill Collar, OD: 9 1/2", x ID 3", , 7 5/8REG, 31.5FT, , API RELIEFGROOVEPIN: BORE-BACK BOX, SLIP AND ELEVATOR RECESS.COLDROLLED.manufacture in compliance with specifications API 7-1 and stenciled with APImonogram
1210	ASSY, SUCTION 8 MM X 5 MM PVC - MFG: HATENBOER-WATER - P/N# 0720-08X5PVCA
1211	BALLAST, SOLID STATE ELECTRONIC, 120-240 VAC 50/60 HZ FOR LAMPS TYPE: 2 x F36T8 OR F40T12 - MFG: FULH - P/N# HPA-MLT-236-XT8-OAA
1212	TUBE, LED Emergency T8 Tube, 2FT-9W, with Integrated Battery Backup (5000K) - MFG: E2 LIGHTING - P/N # E2-T8-2FT-9W-EBBU
1213	TUBE, LED Emergency T8 Tube, 4FT-18W, with Integrated Battery Backup (5000K) - MFG: E2 LIGHTING - P/N # E2-T8-4FT-18W-EBBU
1214	PLUG 220-250 V 50/60 HZ 2P+E FEMALE - MFG: PCE - P/N # SFN-213
1215	PLUG 220-250 V 50/60 HZ 2P+E MALE - MFG: PCE - P/N # SFN-013



NO	DESCRIPTION
1216	PLUG 110-130 V 50/60 HZ 2P+E MALE - MFG: PCE - P/N # SFN-013-4
1217	PLUG 110-130 V 50/60 HZ 2P+E FEMALE - MFG: PCE - P/N # SFN-213-4
1218	PLUG, EXPLOSION PROOF, 16A,2P+E ,200-250 V,50 HZ, TYPE-PCX - MFG: A.T.X - P/N # 97433
1219	THERMOSTAT FOR FCU UNIT MFG:- ELIWELL P/N# IC902
1220	CARTRIDGE, RETURN FILTER - MFG: GUSTOMSC B.V. - P/N# 0850 R010 BN3HC
1221	ELEMENT, FILTER BRAKE HPU COOLING - MFG: GUSTOMSC B.V. - P/N# 0060 D 010 BN3HC
1222	PRESSURE SWITCH F/BOP CONTROL, MFG-GUANGZHOU DONGSU, PN-HED40P15/350Z14
1223	BOWL, INSERT SIZE 3 SPLIT EXTENDED API SET OF 2 - MFG: VAR - P/N# 6608
1224	BOWL, INSERT SIZE 3 SPLIT EXTENDED API SET OF 2 - MFG: VAR - P/N# 6608
1225	COVER, BEARING OB - MFG: NOV - MISSION - P/N# H20617A
1226	GLAND, ASSY - MFG : MIS - P/N # H20622-4A
1227	PACKING, 3-RING - MFG: BAKER SPD - P/N# 52141500 - OR - MFG: MIS - P/N# 648402600
1228	BOLT, ASSEMBLY GLAND CENTRIFUGAL PUMP - MFG: FSPD - P/N# 52137280 - OR - MFG: HLO P/N# H3701A - OR - MFG: MIS - P/N# 601102494 OR - MFG: NOV - P/N# B3701A
1229	PACKING & INLAND FEE
1230	VALVE, GLOBE HIGH PRESSURE PLATE TYPE FOR HYD DISC BRAKE-MFG:BJPSKPN: 102060521
1231	VALVE, ONE WAY -MFG:LSPE-PN:10210021
1232	VALVE, AUTOMATIC FLOOD FOR HYD DISC BRAKE-MFG:BJPSK-PN:102030121
1233	SEALLSPE107.29.110.17 - MFG: LSPE - PART# 107.29.110.17
1234	HEAVY HEX LOCK NUTLSPE107BZF.17.00 - MFG: LSPE - PART# 107BZF.17.00
1235	O-RING, RUBBER 6.225" - MFG: LSPE - PART# 107BZF.80.06
1236	FILTER, CORE - MFG: LSPE - P/N# 104050311



NO	DESCRIPTION
1237	FILTER, CORE - MFG: LSPE - P/N# 104050211
1238	PISTON RODLSPE107.29.110.23 - MFG: LSPE - PART# 107.29.110.23
1239	BUS BRIDGE (COMMUNICATION PROTOCOL CONVERTER) - MFG: TERDI - P/N# PN-GMODBUS
1240	SPRING, 105X3.1 - MFG: LSPE - P/N# D4-4-66-105X3.1
1241	RING, 70X95X12 - MFG: LSPE - P/N# D7-1-67-70X95X12
1242	BALL VALVE Q11F-16 DN40(NPT) - MFG: LSPE - P/N# LNB/G7-Q11F-16
1243	QUICK-ACTING COUPLING - MFG: LSPE - P/N# 106030211
1244	PRESSURE GAUGE, - MFG: LSPE - P/N# 104060111
1245	FOA0233 MEMBRANE 500/750 LT EPDM, D.M. 174 ITALIAN REG. - WITH HOLE DM2 (WATER PUMP BLADDER 500)
1246	SHAFT, PUMP 250 RH - MFG: MCM OIL TOOLS - P/N# P25SHFT
1247	SEAL, MECHANICAL 250 - MFG: ODR - P/N# P25MSXX
1248	BEARING, OUTBOARD - MFG: MCMO - P/N# P25OBBRG
1249	BEARING, INBOARD MCM 250 - MFG: MCM OIL TOOLS - P/N# P25IBRG
1250	SLEEVE, SHAFT CERAMIC - MFG: MCM OIL TOOLS - P/N# P25HSLVC
1251	KIT, SEAL, OIL - MFG: MCMO - P/N# P25OSK
1252	KIT, GASKET, POWER END - MFG: MCMO - P/N# P25PEGK
1253	SLINGER, OIL 250 - MFG: MCM OIL TOOLS - P/N# P25SRW
1254	BOARD FOR VFD A/C-MFG: SYSLAB-PN:SL-1500PU3APR19N666
1255	CAMERA SYSTEM © 2MP ICR DAY/NIGHT NETWORK ZOOM CAMERA ADOPTS 1/2.8" PROGRESSIVE SCAN CHIP.WITH THE 20x OPTICAL ZOOM LENS.UP TO 1920x1080 RESOLUTION, MIN,ILLUMINATION : COLOR:0.05LUX- MFG: HKIKVISION - P/N# DS-2ZCN2007

BETTER OIL TOOLS IS NOT LIMITED TO ABOVE PRODUCT